SUBJECT INDEX, VOLUME 64, 1971

Compiled by Gladys O. Visel
(All new names are printed in *italics*)

A
Abacarus hystrix, 529
Abacides permundus, 239
Abnormal strain of Callosobruchus maculatus, 1186
Acanthocaudus, 848
Acanthocinus sp., 74
Acanthoponera, 1200
Acanthoscelides bisignatus (?), 520
  compressicornis, 520
  obtectus, 520
  ochraceicolor, 520
  submuticus, 520
Acari, 925
  scanning microscopy, 528
Acarina, 63, 105, 109, 191, 212, 219, 258, 297, 303, 317, 378, 531, 598, 760, 804, 813, 879, 887, 962, 1134, 1249, 1286, 1297, 1305, 1456
Acarus siro, 790
  development on foodstuffs, 531
  response to fungi, 63
Acetone poisoning of American cockroach, 785
Achaearanea tepidariorum, 409
Acheta domesticus, 1169
  gamma radiation effect on, 119
Acleris gloverana, 205
Acrisis, 844
Acrobasis sp., 523
Acrophasmus, 844
Actacarus *giganteus*, 596
  illustrans, 596
  pygmaeus, 594
Actenobius, 185
  pleuralis, 188
Aculus schlectendali, 817
Acylis comptana fragariae, 521
Acyrthosiphon pisum, 393, 1176
  chemically defined diet for, 474
  continuous rearing, 353
  probing behavior, 499
  sucrose in diet, 739
Acyrthosiphon solani, 389
Adaptation of European corn borer, 1369
Adelges piceae, fungus disease of, 749
Adelius, 846
Ademon, 848
Adialytus, 848
Aedes, behavior of thoracic spiracles, 93, 97
Aedes aegypti, 94, 97, 294
  cellular nucleic acid in, 972
  crowding effects in, 26
  radiation-resistant strain, 1247
Aedes atlanticus, 1122
  diantaeus and A. communis, mating in, 234
  infirmatus, 1122
  mitchellae, 1122
  pionips, 235
  rempeli, 237
  sollicitans, 1122
  taeniorhynchus, 513, 1122
Aedes triseriatus, 93, 97
  diapause: induction in larvae, 11
  in larvae termination, 968
  tarsalectomy and antennectomy behavior in, 294
Aedes vexans, 1122
Aeluropoda insignis, 137
Aeneolamia postica jugata, 1471
  varia saccharina, 1471
Aenigmostomus, 847
Aeromonas hydrophila, 1468
Aestivation in Hypera postica, 77
Agasicles, disposition of proposed names, 1020
  lectotype designations, 1016
Agasicles connexa, 1016
  hygrophila, 1018
  interrogationis, 1016
  opaca, 1018
  vittata, 1018
Agathirsia, 847
Agathis, 847
Age determination of Sarcophaga tibialis, 754
Agelenopis pennsylvanica, 409
Agistemus fleschneri, 815
Aglaopteryx sp., 683
Agonoderus comma, 240, 541
  lineola, 239
Agonoxena sp., 520
Agonum, list of species in cropland, 239
Agonum placidum, 240
Agrilus horni, 1419
Agriphila plumbifimbriella, reproduction, 52
  ruricolella, 117
  vulgivagella, 117
Agrotis ipsilon, 1103
Aivalykus, 842
Alarm pheromone of Lasius (Dendrolasius) spathepus, 589
Alberus clisiocampae, 49
Aleochara, host records of American, 1184
  bilineata, 1184
  bimaculata, 1184
  bipustulata, 1184
  castaneipennis, 1184
  imbricata, 1184
  taeniata, 1184
  tristis, 1184
  valida, 1184
Alfalfa leafcutter bee, rearing immature, 1183
Alfalfa weevil, Bathyplectes stenostigma parasite of, 1361
  growth and feeding response, 1230
  irradiation of larvae, 88
  net for collecting, 299
  photoperiod - diapause relationships, 1163
  reproduction and survival of adults, 208
  reproductive system abnormality, 951
Algae, dispersal by Coleoptera, 36
Algarobius prosapis, 521
Aliolus, 846
  curculionis, 518, 554
  rufus, 518
Allacta coajuncta, 681
Alligatorweed suppressant, new species of, 1016
Allorhobas, 844
Alphitobius diaperinus, odoriferous gland of, 425
Alysiinae, 841
Amara carinata, 240, 542
  exarata, 239
  latior, 239
  obesa, 240
  quenseli, 239
Amathes c-nigrum, 1104
Amazonina conspersa, 130
  platystylata, 132
  sp. 138
Amblycerus robiniae, 520
Amblyomma americanum, 191, 378, 1287
  photoperiod effect on, 303
Amblyomma maculatum, 1306
Amblyopone longidens, 1197
Amblyseius elongatus, 816
Amblyseius hibisci, 219
  limonicus, predation by, 219
  umbraticus, biology, 813
American cockroach, DDT poisoning of, 784
  periplanetin production in, 306
American dog tick, oviposition, 1305
Amino acids, and Empoasca eggs, 34
  in grasshopper, 693, 703
Ampeloglypter sesotris, 523
Amphipod fauna downstream from an impoundment, 743
Anacampsis fragariella, 523
Anagasta kuehniella, 456, 497, 518, 826, 1069
Anagrapha falcifera, 1428
  precationis, 1428
Anagrus sp., 49
Analysis of scent fluid from Hypselonotus punctiventris, 749
Anaplecta, 129
  hemiscotia, 130
  mexicana, 680
  sp., 130
Anaplectinae, 682
Anarsia lineatella, 519
Anatis ocellata mali, 953
  quindecimpunctata, parasitism, 953
Ancaudellia kheili, 137
  serratissima, 137
Anchoblatta signifera, 137
Ancylis c. comptana, 523
  comptana fragariae, 519, 621
Andricus californicus, 571
  fimbrialis, 571
  fullawayi, 571
  kingi, 566
Anisodactylus rusticus, 239
  sanctaecrucis, 239
Anixipha sp., 73
Annual, meeting notice, 1195
  review, vol. 3, reprint, 748
Anobiidae, key to, 179
  list of genera, 187
  new subfamily in, 1301
Anobiopsis, 185
Anobium, 185
  punctatum, 182
Anocentor nitens, 1306
Anochetus graeffei, 1212
  horridus, 1212
  (A.) mayri, 1214
Anomala nigropicta, 1379
Anopheles crucians, 1122
  pseudopunctipennis franciscanus, 466, 1074
  quadrimaculatus, 1122
Anoplura, 280, 973
Anseriformes, review of Holomenopon from, 633
Ant larvae of Ponerinae, 1197
Antarctophthirus callorhini, 280

SUBJECT INDEX, VOLUME 64, 1971

Compiled by Gladys O. Visel
(All new names are printed in *italics*)

A
Abacarus hystrix, 529
Abacides permundus, 239
Abnormal strain of Callosobruchus maculatus, 1186
Acanthocaudus, 848
Acanthocinus sp., 74
Acanthoponera, 1200
Acanthoscelides bisignatus (?), 520
  compressicornis, 520
  obtectus, 520
  ochraceicolor, 520
  submuticus, 520
Acari, 925
  scanning microscopy, 528
Acarina, 63, 105, 109, 191, 212, 219, 258, 297, 303, 317, 378, 531, 598, 760, 804, 813, 879, 887, 962, 1134, 1249, 1286, 1297, 1305, 1456
Acarus siro, 790
  development on foodstuffs, 531
  response to fungi, 63
Acetone poisoning of American cockroach, 785
Achaearanea tepidariorum, 409
Acheta domesticus, 1169
  gamma radiation effect on, 119
Acleris gloverana, 205
Acrisis, 844
Acrobasis sp., 523
Acrophasmus, 844
Actacarus *giganteus*, 596
  illustrans, 596
  pygmaeus, 594
Actenobius, 185
  pleuralis, 188
Aculus schlectendali, 817
Acylis comptana fragariae, 521
Acyrthosiphon pisum, 393, 1176
  chemically defined diet for, 474
  continuous rearing, 353
  probing behavior, 499
  sucrose in diet, 739
Acyrthosiphon solani, 389
Adaptation of European corn borer, 1369
Adelges piceae, fungus disease of, 749
Adelius, 846
Ademon, 848
Adialytus, 848
Aedes, behavior of thoracic spiracles, 93, 97
Aedes aegypti, 94, 97, 294
  cellular nucleic acid in, 972
  crowding effects in, 26
  radiation-resistant strain, 1247
Aedes atlanticus, 1122
  diantaeus and A. communis, mating in, 234
  infirmatus, 1122
  mitchellae, 1122
  pionips, 235
  rempeli, 237
  sollicitans, 1122
  taeniorhynchus, 513, 1122
Aedes triseriatus, 93, 97
  diapause: induction in larvae, 11
  in larvae termination, 968
  tarsalectomy and antennectomy behavior in, 294
Aedes vexans, 1122
Aeluropoda insignis, 137
Aeneolamia postica jugata, 1471
  varia saccharina, 1471
Aenigmostomus, 847
Aeromonas hydrophila, 1468
Aestivation in Hypera postica, 77
Agasicles, disposition of proposed names, 1020
  lectotype designations, 1016
Agasicles connexa, 1016
  hygrophila, 1018
  interrogationis, 1016
  opaca, 1018
  vittata, 1018
Agathirsia, 847
Agathis, 847
Age determination of Sarcophaga tibialis, 754
Agelenopis pennsylvanica, 409
Agistemus fleschneri, 815
Aglaopteryx sp., 683
Agonoderus comma, 240, 541
  lineola, 239
Agonoxena sp., 520
Agonum, list of species in cropland, 239
Agonum placidum, 240
Agrilus horni, 1419
Agriphila plumbifimbriella, reproduction, 52
  ruricolella, 117
  vulgivagella, 117
Agrotis ipsilon, 1103
Aivalykus, 842
Alarm pheromone of Lasius (Dendrolasius) spathepus, 589
Alberus clisiocampae, 49
Aleochara, host records of American, 1184
  bilineata, 1184
  bimaculata, 1184
  bipustulata, 1184
  castaneipennis, 1184
  imbricata, 1184
  taeniata, 1184
  tristis, 1184
  valida, 1184
Alfalfa leafcutter bee, rearing immature, 1183
Alfalfa weevil, Bathyplectes stenostigma parasite of, 1361
  growth and feeding response, 1230
  irradiation of larvae, 88
  net for collecting, 299
  photoperiod - diapause relationships, 1163
  reproduction and survival of adults, 208
  reproductive system abnormality, 951
Algae, dispersal by Coleoptera, 36
Algarobius prosapis, 521
Aliolus, 846
  curculionis, 518, 554
  rufus, 518
Allacta coajuncta, 681
Alligatorweed suppressant, new species of, 1016
Allorhobas, 844
Alphitobius diaperinus, odoriferous gland of, 425
Alysiinae, 841
Amara carinata, 240, 542
  exarata, 239
  latior, 239
  obesa, 240
  quenseli, 239
Amathes c-nigrum, 1104
Amazonina conspersa, 130
  platystylata, 132
  sp. 138
Amblycerus robiniae, 520
Amblyomma americanum, 191, 378, 1287
  photoperiod effect on, 303
Amblyomma maculatum, 1306
Amblyopone longidens, 1197
Amblyseius elongatus, 816
Amblyseius hibisci, 219
  limonicus, predation by, 219
  umbraticus, biology, 813
American cockroach, DDT poisoning of, 784
  periplanetin production in, 306
American dog tick, oviposition, 1305
Amino acids, and Empoasca eggs, 34
  in grasshopper, 693, 703
Ampeloglypter sesotris, 523
Amphipod fauna downstream from an impoundment, 743
Anacampsis fragariella, 523
Anagasta kuehniella, 456, 497, 518, 826, 1069
Anagrapha falcifera, 1428
  precationis, 1428
Anagrus sp., 49
Analysis of scent fluid from Hypselonotus punctiventris, 749
Anaplecta, 129
  hemiscotia, 130
  mexicana, 680
  sp., 130
Anaplectinae, 682
Anarsia lineatella, 519
Anatis ocellata mali, 953
  quindecimpunctata, parasitism, 953
Ancaudellia kheili, 137
  serratissima, 137
Anchoblatta signifera, 137
Ancylis c. comptana, 523
  comptana fragariae, 519, 621
Andricus californicus, 571
  fimbrialis, 571
  fullawayi, 571
  kingi, 566
Anisodactylus rusticus, 239
  sanctaecrucis, 239
Anixipha sp., 73
Annual, meeting notice, 1195
  review, vol. 3, reprint, 748
Anobiidae, key to, 179
  list of genera, 187
  new subfamily in, 1301
Anobiopsis, 185
Anobium, 185
  punctatum, 182
Anocentor nitens, 1306
Anochetus graeffei, 1212
  horridus, 1212
  (A.) mayri, 1214
Anomala nigropicta, 1379
Anopheles crucians, 1122
  pseudopunctipennis franciscanus, 466, 1074
  quadrimaculatus, 1122
Anoplura, 280, 973
Anseriformes, review of Holomenopon from, 633
Ant larvae of Ponerinae, 1197
Antarctophthirus callorhini, 280

Antennal, receptors by honey bees, 919
sensilla coeloconica of Pedicinus obtusus, 973
Antheraea polyphemus, 438
Anthonomus aeneolus, 521
albopilosus, 519
aphanostephi, 522
disjunctus, 521
eugenii, 519
fulvus, 519
grandis, 254, 394, 480, 518, 530, 822, 1390
grandis, arthropod parasites of, 516, 549
heterothecae, 521
ligatus (?), 521
musculus, 522
nebulosus, 521
nigrinus, 521
scutellaris, 518
signatus, 519
squamosus, 519
texanus (?), 522
vestitus, 518
Antimony, fowl tick responses to, 258
Antioquita punctigera, 137
Ants and dislodged jack-pine budworm larvae, 384
Anystis sp., 49
Apanteles, 845
congregatus, 401
dignus, biology, 996
sp., 75
Apechthis ontario and Itoplectis quadricingulatus, interaction, 205
Aphaereta spp., 1313
Aphelenchoides *rhytium*, 166
Aphelinus asychis, 169
and aphids, 169
bionomics, 81
Aphelinus howardii, 390
sp., 390
Apheloria corrugata, 429
Aphid(s), and Aphelinus asychis, 169
feeding and insect tissues, study, 296
rearing on synthetic diet, 1176
Aphidencyrtus aphidivorus, 390
Aphidiidae, keys to Nearctic, 841
Aphidius, 849
nigripes, 389
sp., 390
Aphis craccivora, 1176
gossypii, 1176
nasturtii, 389
pseudobrassicae, 1176
tulipae, 389
Aphodius campestris, 856
lividus, 856
spp., 856
Aphytis sp., 49
Apion antiquum, 520
crassum, 522
decoloratum, 522
griseum, 522
nigrum, 522
rostrum, 520
Apis mellifera, 50, 228, 448, 954, 960, 1414
behavior, 951
flight duration, 609
response patterns, 1472
sterility of intestinal content, 315
Apis mellifera adansonii, 922
mellifera ligustica, 611, 922
Apocellus sp. nr. brevipennis, 1378
Apomyrma, 1198
Apotrogia angolensis, 137
Apparatus for evaluation of feeding preferences of phytophagous insects, 964
Apristus sp., 239
Apsidopsis oxyptera, 137
Aptenobracon, 841
Aptera fusca, 137
Arachnida, 409
Aradus cinnamomeus, 73
inornatus, 73
Araecerus fasciculatus, 520
levipennis, 520
Arbovirus, culture of tick hemocytes for growth, 1249
Archimandrita marmorata, 137
Archipolipus, 1297
canthoni, 1297
Archips rosana, 621
Arenivaga (Psammoblatta) africana, 127
(P.) cerverae, 127, 678
Argas (Persicargas) arboreus, digestive system, 1149
excretory system, 1155
Argas (A.) *dulus*, from palm chat nests, 1410
hermanni, 1413
radiatus, feeding, 297
Argas radiatus, responses to cadmium and antimony, 258
reflexus, 1413
Argenine in boll weevil diet, 480
Argyrotaenia velutinana, 523, 621, 1084
Aridelus, 847
Arthropod(s), defense mechanisms, 314
from imported fire ant nests, 1376
parasites of boll weevil, 516, 549
Asaphes, 393
californicus, 391
lucens, 389
Ascogaster, 847
Aspiduchus borinquen, 137
deplanatus, 137
Asplanchna sieboldi, 1069
Astala confederata, 523
Astenus binotatus, 1378
Ataenius miamii, 1379
spp., 856, 1379
Atanycolimorpha, 842
Atanycolus, 842
comosifrons, 75
Ateochara sp., 1378
Ateuchus histeroides, 859
Atheris variegata, 745
Attack patterns of Ips, 894
Attaphila fungicola, 130
Attellabus sp., 19
Attraction of Scolytus multistriatus to pheromone, 1143
Audreia carinulata, 137
Aulacorthum solani, 1176
Auletobius, 983
Auleutes tenuipes, 522
Aulocara elliotti, compatability of sexes, 155
embryogenesis of, 1057
Aulonium ferrugineum, 74
tuberculatum, 74
Autogeny in, Chrysops atlanticus, 1421
flesh fly, 961
Autographa precationis, 1104
Azotus sp., 49

B

Bacteria from Simulium underhilli as index to water pollution, 1467
Badister neopulchellus, 239
Baetis brunneicolor, 745
cingulatus, 745
Balaustium sp., 49
Bantua dispar, 137
repentina, 137
robusta, 137
scabra, 137
Baris coneipennis, 522
transversa, 519
Barley, resistance to greenbug, 718
Bassettia ligni, 566
Bathyplectes anurus, 1362
contracta, 1362
curculionis, 1362
stenostigma, alfalfa weevil parasite, 1361
Bdella mexicana, 49
Bealius *pissodi*, 163
Beet leafhopper, histopathology of, 1025
Behavior (see Methods)
Belonopelta, 1213
Belostoma, 1255
Bembidion, list of species in cropland, 239
nitidum, 239
quadrimaculatum, 240
rapidum, 239
tetracolum, 239
Berosus aculeatus, 38
infuscatus, 38
Binodoxys, 848
Biochemistry of ticks, 1149, 1155
Biolleya alaris, 137
Biological, data on diamondback moth, 651
notes on Probezzia, 729
observations on Diabrotica, 1021
Biology of: Amblyseius umbraticus, 813
Apanteles dignus, 996
Bracon politiventris, 620
Cordilura, 1310
Dichaeta caudata, 271
European corn borer, 1264
Eutetranychus sudanicus, 806
Exorista mella, 146
Exorista ground beetle, 540
Hedria mixta, 931
honey bees, 228
Hymenarcys nervosa and H. aequalis, 1289
Inopus rubriceps, 1
Jalysus spinosus, 779
ladybird beetle, 1217
Melanoplus rugglesi, 574
Merycomyia whitneyi, 1182
Neuroterus saltatorius, 565
obscure scale, 45
pinyon stunt needle midge, 1099
Pseudogoerinae, 891
Scaphytopius delongi, 809
slash-pine sawfly, 241
Bionoblatta itatiaya, 137
Bionomics of Aphelinus asychis, 81
Biosteres, 848
Biotypes of greenbug response to diet, 1245
Blaberidae, 684
Blaberinae, 684
Blaberus anisitsi, 137
boliviensis, 137
brasilianus, 137
colosseus, 137
craniifer, 683
fusiformis, 137
germanica, 977
giganteus, 456

XUM

minor, 137
scutatus, 137
Black fly rearing cylinders, 1192
transporting live larvae, 1194
Black vine weevil, thoracic legs on larvae, 1340
Blacus, 847
Blatta orientalis, 456
Blattaria, additions to studies on glands, 127
key to families and subfamilies, 675
Blattella bisignata, 134
germanica, 133, 456, 680, 1178
l. lituricollis, 134
lobiventris, 131
sauteri, 131
spp., 130
Blattellidae, 681
Blattellinae, 682
Blattidae, 677
Blattinae, 679
Blattoidea, 977
Blepharodera ciliata, 137
discoidalis, 137
Blow fly behavior, 1269
Blue pigment of Orthellia caesarion, 1459
Bolbocerosoma farctum, 1379
Bolbocerus sp., 1379
Boll weevil, argenine in diet, 480
arthropod parasites of, 516
attraction of traps baited with, 530
movement into cotton field, 254
population dynamics, 394
reproduction, 1390
synthesis of nucleic acid and protein in, 822
Bombyx mori, 1069
Boophilus microplus, rearing on rabbits, 598
Boreocanthon depressipennis, 859
probus, 859
Boreogalba, 848
Bothroponera, 1213
denticulata, 1214
mayri, 1214
piliventris, 1214
sjostedti, 1214
sublaevis, 1214
Bothynus gibbosus, 41
Brachinus ovipennis, 239
quadripennis, 239
Brachychola sexnotata, 137
Brachychthonius lydiae, chaetotaxy, 317
Brachymeria intermedia, parasitization by, 753
Brachynus crepitans, 429
sp., 41
Brachyponera, 1207
lutea, 1207
senaarensis, 1207
Brachyrhinus ovatus, 518
sulcatus, 1340
Brachystropha, 842
Bracon, 842
gossypii, 518
greeni, 518
hebetor, 496, 518
hebetor, action of as parasite of Plodia interpunctella, 1335
kirkpatricki, 519
mellitor, 519, 552
nuperus, 552
politiventris, biology, 620
punctatus, 519
serinopae, life span duration, 777
sp., 521, 552
terryi, 520
thurberiphagae, 519
vestiticida, 520
Braconidae, keys to Nearctic, 841
Bradycellus quadripennis, 239
Brine flies of genus Ephydra, 357
Bruchus brachialis, 521
obtectus, 1386
pisorum, 521
Bryobia sp., 815
Bucculatriplex, 845
Bucculatrix fusicola, 521
Bucculatrix thurberiella, 1382
Bur oak acorns, insects of, 232
Bursaphelenchus *elytrus*, 167
Busulfan, fed to boll weevil, 822
Byrrhodes, 187, 1301
cabrerai, 137
fumigata, gynandromorphs of, 874
steosus, 186

C

Cabbage looper, hemolymph proteins in, 310
scent apparatus, 347
Cabbage maggot, activity, 1226
reproductive behavior, 176
temperature and development, 1079
Cadmium, fowl tick responses to, 258
Cadra cautella, 456, 473, 518
figulilella, 456
Caeculid mites, fungus feeding by, 760
Caeculus sp., 760
Caenocara, 187, 1301
bicolor, 186
sp., 182
Caenurgina erechtae, 1104
nr. insignis, 133
sp., 136
Calathus gergarius, 239
Calliborminus, 844
Callida decora, 239
Calliephialtes thurberiae, 520
Callirhytis sp., 234
Callosobruchus maculatus, 521
abnormal strain, 1186
spermatozoon nuclei length in, 952
Caloglyphus berlesei, histolysis of nymphal muscles, 195
Calolampra pardalina, 138
Calosoma calidum, 239
marginalis, 41
sycophanta, 528, 754
Calvolia lordi, 817
Calymmaderus, 183, 1301
amoenus, 186
nitidus, 180
obsoletus, 1302
punctulatus, 184
Cameraria hamadryadella infesting white oaks, 1094
Camnula pellucida, 1069
Campoletis perdistinctus, sex ratio, 1373
Camponotus nearcticus, 76
sayi, 1186
Canthon chalcites, 859
humectus, new species of mite associated with, 1297
pilularius, 858
vigilans, 859
Captotomus interrogatus, 38
Carabid, seed-catching, 1474
Carabus serratus, 239
Carapace to evaluate spider development, 757
Carbon dioxide anesthesia of horned passalus beetle heart, 430
Cardenolides in milkweed plant and feeding by milkweed bug, 1173
Cardiochiles, 845
Cardiochiles nigriceps, 471
nigriceps, Heliothis as host, 970
Cariacasia capucina, 138
Cariblatta sp. nr. punctipennis, 131
Casnonia pennsylvanica, 239
Catinathrips kainos, male, 752
Catogenus rufus, 74
Catolaccus spp., 552
Catorama, 1301
Cattle, Psoroptes ovis on, 109
Cavariella aegopodii, 1176
Cecidomyia sp., 74, 1379
Celama sorghiella, 523
Celatoblatta spp., 127
undulivitta, 128
vulgaris, 128
Cellular nucleic acid in Aedes aegypti, 972
Cenocoelius, 847
Cenocoelius nigrisoma, 75
sanguineiventris, 1420
Centistes, 847
Centromyrmex, 1203
Cephaloscymnus zimmermanni, 49
Ceraphron sp., 49
Ceratinoptera nr. castanea, 131
sp., 131, 683
Ceratitis capitata, 312, 627, 949
Cereal leaf beetle, sexual behavior and diapause of, 655
Ceroputo group, 1351
Ceutorhynchus sp., 522
Chaetopauesia, 848
Chaetotaxy of Brachychthonius lydiae, 317
Chagas' disease vectors, parasite of, 29
Chalcodermus aeneus, 518
collaris, 518
inaequicollis, 522
Chalcoela iphitalis, 1358
Chalenius, list of species in cropland, 239
Chaoborus, repopulation of lake by, 308
response of larvae to light, 461
Chaoborus flavicans, 308
punctipennis, 308
Chariessa pilosa, 1378
Charips sp., 389
victrix, 390
Cheiloneurus noxius, host selection, 580, 1233, 1259
Cheletogenes ornatus, 49
Chelonus (Chelonus), 847
(Microchelonus), 847
inanitus, 493
submuticus, 493
Chemical analysis of defensive scent fluid from Progaleritina mexicana, 1191
Chemotaxonomic significance of 6-methyl-5-hepten-one, 1007
Cheumatopsyche spp., 745
Cheyletia pyriformis, 49
Cheyletus eruditus, 790
Chiggers from spiny rat, new, 212
Chilo plejadellus, 1469
Chironomid midges, laboratory rearing, 1166
Chironomus nr. attenuatus, 1166
fulvipilus, 1166
spp., 745
Chlaenius platyderus, 240
Chlorochroa sayi, 203, 452
uhleri, 203, 452

Chlorotabanus crepuscularis, 549
Chorebidella, 842
Chorebus, 842
Chorisia trivirgata, 130
Chorisoneura 130
sp., 135, 683
Choristoneura conflictana, 624
fumiferana, 621
fumiferana, male reproductive system of, 1107
occidentalis, 205, 620
parallela, 621
p. pinus, 384, 621, 1185
rosaceana, 621
Chromatonotus notatus ?, 138
sp., 138
Chromosome culture method for cricket haematocytes, 1169
Chrysopophthorus, 847
Chrysops atlanticus, autogeny and mating in, 1421
caecutiens, 157
callidus, 549, 956
carbonarius, 957
cincticornis, 549
dimmocki, 957
flavidus, 956
(Liochrysops) hyalinus, 161
montanus, 956
pudicus, 956
spp., 548, 956
vittatus, 956
Chrysopsine flies, genitalic comparison, 157
Chrysoteuchia topiaria, 117
Chyliza ustulata, 142
Cicindela lepida, 41
Cimex dentatus, 1289
Circadian, activity in Periplaneta americana, 1010
periodicity of pink bollworm, 1431
rhythms of Trichoplusia ni, 488
Circulifer tenellus, histopathology of, 1025
Citellaria obesa, 863
Citrus red mite, growth, development, mating behavior, 804
Citrus thrips, conspecificity of, 870
Clinocentrus, 845
Clivina impressifrons, 239, 887
sp., 1378
Cnephia mutata, 1195
ornithophilia, 1193, 1195
Coccidohystrix insolitus, 1354
Coccinella novemnotata, 1069
Coccus hesperidum, 580, 1233
Cockroach, classification and source of specimens, 673
morphology of proventriculi, 671
Coelambus, 503
Coelinidea, 842
Coeloides, 842
pissodis, 75, 896
Coenia curvicauda, 272
Coenorrhinus (Pselaphorhynchites) micans, 984
(P.) sanguinipes, 988
Colapteroblatta compsa, 138
Colastes, 844
Coleophora malivorella, 521
Coleoptera, 72, 77, 88, 90, 123, 149, 162, 179, 208, 238, 251, 254, 266, 293, 299, 302, 394, 425, 430, 467, 480, 503, 516, 528, 530, 534, 540, 544, 549, 589, 655, 665, 708, 751, 752, 822, 834, 855, 861, 894, 946, 952, 953, 975, 982, 1016, 1021, 1044, 1116, 1143, 1163, 1184, 1186, 1191, 1217, 1230, 1273, 1297, 1340, 1390, 1417, 1435, 1460, 1466, 1468, 1473, 1474
Coleoptera, dispersal of organisms by, 36
Colias eurytheme, 1381
Colladonus montanus, tissue culture of monolayer cell lines in, 722
Colposternus, 185
Colydium lineola, 74
Comparative, studies on Typhlodromus occidentalis, 962
terminalia of chrysopsine flies, 157
Compsobracon, 842
Conoderus falli, 299
vespertinus, 41
Conomyrma, 1009
pyramicus, 1009
Conosomus crassus, 1378
Conotrachelus affinis, 518
crataegi, 520
elegans, 518
glypticus, 523
juglandis, 518
naso, 518
nenuphar, 518, 621, 665
posticatus, 518
spp., 234
nr. tibialis, 518
Conspecificity of citrus thrips, 870
Contarinia gossypii, 522
Continuous rearing of pea aphid, 353
Copelatus chevrolati, 38
glyphicus, 38
Copris minutus, 858
Coprophagous beetles, flight activity, 855
Coptotermes formosanus, sternal gland in, 478
Coquillettidia perturbans, 1122
Corcyra cephalonica, 518
Cordilura angustifrons, 1320
carbonaria, 1318
confusa, 1320
deceptiva, 1311
gagatina, 1319
(Cordilurina) gracilipes, 1325
latifrons, 1316
ontario, 1313
(Cordilurina) pleuritica, 1325
(Snyderia) praeusta, 1324
pudica, 1323
setosa, 1314
spp., 1311
variabilis, 1316
Corimelaena l. lateralis, rearing, 313
Corn earworm, Nosema-free colony, 624
Corn earworm moth, epiphysis function on, 309
Corticeus glaber, 74
parallelus, 74
substriatus, feeding habits, 293
Coruna clavata, 389
Cosmophorus, 846
Cossonus corticola, 74
Cotton field, boll weevil movement into, 254
parasitoids attacking Spodoptera littoralis in, 492
Crambus alboclavellus, 117
harpipterus, reproduction, 52
laqueatellus, 117
pascuellus floridus, 117
praefactellus, 117
teterrellus, 117
Craponius inaequalis, 518
Crassomicrodus, 847
Cratacanthus dubius, 239
Cremastus nordi, 1420
sp., 75
Crematogaster ashmeadi, 76
clara, 76
Cremnops, 847
Cricket haematocytes, 1169
Cricotopus sp., 745
Crocidosema lantanae, 519
Cropland, ground beetles in, 238
Crosses of Trichogramma caecoeciae pallida with T. minutum and T. pretiosum, 1470
Crowding Aedes aegypti larvae, 26
Crypticus obsoletus, 74
Cryptocercidae, 677
Cryptocercinae, 677
Cryptocerus punctulatus, 677
metabolic rate in, 450
Cryptocerus varians, 1379
Cryptolestes ferrugineus, 789, 1069
Cryptophlebia illepida, 519
Cryptopone, 1208
rotundiceps, 1208
Cryptorama, 183, 1301
holosericea, 183
minuta, 184
Cryptoramorphus, 187, 1301
floridanus, 184
Cryptoxilus, 846
Crypturgus alutaceus, 74
Ctenobium, 185
antennatum, 186
Cuerna costalis, 520
Culex apicalis, 465
nigripalpus, 513, 1122
pipiens, 687, 1069
pipiens quinquefasciatus, 466
salinarius, 1122
(Melanoconion) spp., 1122
tarsalis, 465, 538
Culex tarsalis, densities in isolated population, 1074
development rate, 668
Culex thriambus, 465
Culicoides biguttatus, 216
crepuscularis, 216
haematopotus, 216
obsoletus, 217
populations, comparison, 215
stellifer, 216
travisi, 216
variipennis, 216
venustus, 216
wisconsinensis, 217
Culiseta incidens, 465
inornata, 465, 538, 1074
melanura, 1122
Curculio caryae, 518
caryatrypes, 523
confusor, 233
iowensis, 233
nanus, 983
nasicus, 523
pardalis, 233
proboscideus, 233
sayi, 523
spp., 234
strictus, 233
sulcatulus, 233
victoriensis, 41
Curtisella, 844
Cutilia soror, cell replacement in epithelium, 1464
Cyanopterus, 842
Cylas formicarius elegantulus, 519
Cylindrococcus, 346
Cylindrocopturus adspersus, 518

XUM

longulus, 520
Cylistix attenuata, 73
cylindrica, 73
Cymindis americana, 239
cribrata, 239
cribricollis, 239
Cynipid galls on Quercus lobata, 571
Cynipidae, heterogony in, 565
Cynips glandulosa, 234
Cyphomyrmex rimosus, 1379
Cyrtotria capucina, 138
gibbicollis, 138
graniger, 138
latipennis, 138
marshalli, 138
orientalis, 138
pallicornis, 138
tuberculata, 138

D

Dacnusa, 842
Dacus oleae, 1112
Danuria bucholzi, 979
DDE poisoning of American cockroach, 785
DDT poisoning of American cockroach, 784
Defense mechanisms of arthropods, 314
Defensive, scent fluid from Progaleritina mexicana, 1191
secretion of Lomechusa strumosa, 975
Deltochilum gibbosum, 859
Dendraster eccentricus, 1069
Dendroblatta cnephaia, 131
Dendroctonus adjunctus, prothoracic mycangium of, 123
brevicomis, 1473
frontalis, 72, 266, 587
ponderosae, 293
ponderosae, flight, 534
pseudotsugae, flight arrestment, 1273
Dendrosoter, 844
sulcatus, 75
Densities in isolated Culex population, 1074
Deporans, 983
glastinus, 983
Dermacentor albipictus, 1306
seasonal activity of relationship to photoperiod, 1456
Dermacentor andersoni, 1249
Dermacentor variabilis, 1305
parthenogenetic reproduction by, 1286
Dermaptera, 746
Derocalymma costata, 138
Derocalymma cruralis, 138
granulata, 138
kalahari, 138
lampyrina, 138
pluteus, 138
porcellio, 138
rajiformis, 138
s. scruposa, 138
silphoides, 138
versicolor, 138
Desmatogaster, 185
subconnata, 186
Development of: cabbage maggot, 1079
citrus red mite, 804
Eulachnus agilis, 1407
Development rate of Culex tarsalis, 668
Diabrotica, reflex bleeding in larvae, 1021
balteata, 1021
unidecimpunctata howardi, 1021
virgifera, 541, 861
Diacamma, 1213
Diachasma, 848
Diaeretiella, 848
Diaeretus, 848
Diamesa spp., 745
Diamondback moth, rearing of and biological data on, 651
Diaphorus sp., 588
Diatraea grandiosella, on meridic diet, 483
saccharalis, 1469
Dibrachys cavus, 1364
Dicaelus parallelus, 239
splendidus, 239
Dichaeta caudata, biology, 271
Dichotomius carolinus, 858
Dicranota spp., 745
Dicrotendipes spp., 745
Dictyoptera, 763
morphology and histology of mushroom-shaped gland in, 977
Diestota sp., 1378
Diet (see Methods)
Dineutus assimilis, 38
Dinoponera, 1213
Dioryctria abietella, mating behavior, 612
pupation and emergence, 413
Dioryctria reniculella, 624
Diospilus, 847
Diplocheila assimilis, 239
Diploptera punctata, 685
Diplopterina conrádti, 138
parva, 138
Diplopterinae, 686
Diprion similis, 247
sexual behavior in gynandromorphs, 1191
Diptera, 1, 11, 15, 26, 93, 97, 141, 157, 215, 224, 234, 247, 263, 271, 294, 305, 308, 312, 357, 399, 446, 461, 465, 535, 537, 547, 586, 627, 668, 687, 729, 754, 763, 863, 912, 931, 949, 956, 959, 961, 969, 972, 1074, 1077, 1086, 1099, 1166, 1182, 1192, 1194, 1221, 1226, 1247, 1310, 1367, 1421, 1459, 1467
Diptera, new species of fossil, 1464
Dirrhope, 846
Dischol caspis eldoradensis, 571
Discocerina obscurella, 272
Discoderus parallelus, 239
Discothyrea, 1202
antarctica, 1202
sp., 1203
Disonycha argentinensis, 1016
Dispersal of organisms by Coleoptera, 36
Distribution (see Methods)
Diversinervus elegans, 580, 1233
Dolichoderus, 1009
Dolichomitus messor perlongus, 1420
Dolicosphaeria polita, 138
Dolomedes scriptus, 409
Dorcatoma, 187
pallicornis, 182
Dorcatominae, 1301
Dorsipes, 1300
Doryctes, 844
sp., 75
Doryctinus, 844
Doryctodes, 844
Dorymyrmex pyramicus, 76
Draeculacephala antica, 1395
delongi, 1398
mollipes, 1396
p. portola, 1397
spp., life history, 1393
Drapetis sp., 75
Drone comb effect on honey bee, 954
Drosophila, 1255
melanogaster, 1069
subobscura, 1069
Dryadoblatta scotti, 138
Drymaplaneta semivitta, 678
Duchailluia sp., 127
Dulus dominicus, new species of Argas from nests, 1410
Dyschirius globulosus, 239
Dysdercus fasciatus, 1069
Dysticus inaequalis, 505

E

Earias insulana, 497
Earinus, 847
Eastern subterranean termite, wood decay and, 59
Echmepteryx hageni, 73
Eclosion of horn flies, 224
Ecology of potato aphid parasites, 389
Ecphylus, 841
Ectatomma (Parectatomma) sp., 1201
Ectobius lapponicus, 681
pallidus, 681
sylvestris, 681
Ectomomyrmex, 1205
Ectomyelois ceratoniae, 519
Egg, froth distribution and deposition, 1190
parasite, development, 202
Ektaphelenchus *lepidus*, 167
Elasmosoam, 845
Electroantennogram(s), reproducibility, 300
responses to male scent brushes, 1428
Electron-microscopic studies of spider mite eggs, 1134
Eleodes grandicollis valida with supernumerary legs, 1468
Elm spanworm, diets, 331
Embryogenesis of Aulocara elliotti, 1057
Emergence of queen honey bees, 50
Empoasca fabae, 1026
viability of eggs, 32
Encarsis formosa, population trends on tomato, 1188
Enchenopa binotata, deposition of egg froth by, 1190
Ennomos subsignarius, 331
Enochrus ochraceus, 38
perplexus, 38
Enterobacter cloacae, 1468
Entomophthora sp., 1365
Environmental Entomology, new ESA Publication, 976
Enzymes and proteins in spiders, 409
Eobrachychthonius spp., 317
Epeira sp., 523
Ephedrus, 390, 848
californicus, 390
Ephestia elutella, 456, 518
Ephydra, brine flies of genus, 357
Ephydra auripes, 367
bruesi, 368
cinerea, 371
currani, 374
goedeni, 363
hians, 374
macellaria, 364
mexicana, 369
millbrae, 364
niveiceps, 369

obscuripes, 370
packardi, 363
pectinulata, 370
riparia, 366
subopaca, 367
thermophila, 371
subgenus, 363
Epiblema scudderiana, 523
tripartitiana, 523
Epicauta lemniscata, 41
Epierus pulicarius, 73
Epilachna varivestis, growth on artificial media, 1044
Epilampra abdomennigrum, 137, 685
grisea, 137
maya, 137
sagitta, 139
sodalis, 140
spp., 138
Epilamprinae, 686
Epinephrine effect on insect fact body morphology, 68
Epiphysis function on corn earworm moth, 309
Episernus, 185
Erchomus sp., nr. ventriculus, 1378
Eretes sticticus, 38
Eretmapodites chrysogaster, 1069
Ernobius, 185
mollis, 180
Errata, 527, 755
Escheria coli, 1468
Estigmene acrea, 146, 310, 1382
Ethylmethanesulfonate, effect on Bracon serinopae, 777
Etiella zinckenella, 518
Euaphidus, 848
Eubadizon, 846
Eublemma amabilis, 518
olivacea, 518
scitula, 518
Eubothroponera tasmaniensis, 1200
Euceratocerus, 185
grandis, 180
Eucorydia purpuralis, 127
Eucrada, 183
humeralis, 188
Eudromiella sp., 138
Eugnamptus, 982
Eulachnus agilis, oviposition sites and development, 1407
Eumacrocentrus, 847
Euopius, 848
Eupelmus amicus, 521
cushmani, 520
c. cyaniceps, 75, 520
spp., 552
Euphoriana, 846
Euphoriella, 846
Euphyllodromia, 130
aurora, 131
literata, 131
sp., 131
Euponera, 1207
brunoi, 1207
European corn borer, adaptation, 1369
biology, 1264
mating, 1091
sex attractant and inhibitors, 1083
Eurycotis decipiens, 679
floridana, 679
sp., 678
Euryderus grossus, 239
Eurytenes, 848
Eurytoma gossypii, 522, 552
spp., 552
tomici, 76
tylodermatis, 518
Eustegasta buprestoides, 138
carabidina, 138
Eutarsopolipus, 1300
Eutetranychus sudanicus, biology, 806
Euthlastoblatta sp., 683
Eutinobothrus gossypii, 520
Eutylistus, 187
incomptus, 183
Euvrilletta, 187
xyletinoides, 188
Evarthrus, list of species in cropland, 239
alternans, 240
Exorista mella, biology, 146
Eye of: Heliothis zea, histology, 85
twospotted spider mite, 879

F

Face fly response to relative humidities, 1367
Fat body, effects on morphology, 68
Fatty acid composition in Ips calligraphus, 251
Feature photograph, facing pp. 1, 317, 537, 757, 977
Feeding (see Methods)
Feltia subgothica, 1103
Flea beetle for control of tansy ragwort, 834
Flesh fly, autogeny in, 961
Flicker fusion frequency of Heliothis eye, 942
Flight, activity of Calosoma sycophanta, 528
arrestment of Dendroctonus pseudotsugae and Trypodendron lineatum, 1273
cage actograph for recording circadian periodicity of pink bollworm, 1431
habits of striped earwig, 746
of coprophagous beetles, 855
Foraging of imported fire ant, 660
Forcipomyia (Trichohelea), checklist of species, 25
Forcipomyia, studies on, 15
Forcipomyia (Trichohelea) baueri, 17
(T.) crinita, 18
(T.) eques, 19
(T.) *goniognatha*, 20
(T.) *leptognatha*, 21
(T.) mcateei, 21
(T.) mexicana, 23
(T.) papilionivora, 23
(T.) *veroensis*, 24
Formica fusca, 385
haemorrhoidalis, 385
montana, 385
obscuripes, 385
obscuriventris, 385
schaufussi, 385
Fossil Diptera from Montana, 959
new species of, 1464
Fowl tick responses to cadmium and antimony, 258
Frumentia nundinella, 519
Fungi, dispersal by Coleoptera, 36
Fungus, disease of Adelges piceae, 749
feeding of mites, 760

G

Galendromus pomi, 49
ruralis, 49
Galerita janus, 239
lecontei, 239
Galiblatta williamsi, 139, 686
Galleria mellonella, 518, 971
Gamma irradiation of alfalfa weevil larvae, 88
Gamma radiation, effect on house cricket, 119
worker bees exposed to, 268
Gammarus pseudolimnaeus, 745
Gastrallus, 185
marginipennis, 184, 1302
Genetic marker for Leschenaultia adusta, 305
Geopinus incrassatus, 239
Geoscapheus robustus, 138, 686
Geotrupes blackburnii, 857
splendidus, 859
German cockroach, data for linkage group VI, 1178
Gerstaeckeria nobilis, 521
Gibbobruchus mimus, 520
Glycerol-KCl and Acari, 528
Glycogen depletion in Periplaneta americana, 784
Glycyphagus destructor, 790
Glypta sp., 521
Glyptocolastes, 844
Gnamptogenys aculeaticoxae, 1201
bisulca, 1202
Gnaptodon, 848
Gnathotrichus materiarius, 74
Gnormoschema baccharisella, 521
Goeldichironomus holoprasinus, 1166
Gonatocerus ashmeadi, 520
Grain mite, response to fungi, 63
Graphognathus, reproductive system, 708
fecundus, 708
peregrinus, 708
striatus, 708
Grapholitha molesta, 518, 621
Grasshopper, amino acids in, 693, 703
Grassiella sp. ?, 1378
Greater wax moth, survival of pupae, 205
Greenbug, digestive system, 1031
growth on synthetic diets, 1237, 1240, 1245
mouth parts and feeding habits, 897
nervous systems, 1038
resistance in barley, 718
salivary gland complex, 904
Greenhouse whitefly, life cycle, 1188
Griffiniella larvalis, 138
Ground beetle, biology, 540
in cropland, 238
insectary for, 302
Growth, in southwestern corn borer on meridic diet, 483
Growth of: citrus red mite, 804
Epilachna varivestis on artificial media, 1044
Trogoderma glabrum larvae, 149, 946
Gymnonyx grandidieri, 138
Gymnopeltis cryptospila, 139
neavei, 139
Gyna aetola, 138
cafrorum, 138
capucina, 685
centurio, 138
colini, 138
costalis, 138
Gyna fervida, 138
gloriosa, 138
henradi, 138
incommoda, 138
laticosta, 138
lurida, 138
maculipennis, 138
oblonga, 138
pomposa, 138

XUM

simplicissima, 138
spurcata, 139
Gynandromorphs of: Byrsotria fumigata, 874
Diprion similis, sexual behavior, 1191
Gypsy moth, Brachymeria intermedia parasitization on, 753
egg parasitoid, responses of, 1050
Gyrinus parcus, 38

H

H^3-catechol, penetration into Scolytus multistriatus, 544
Haanina adusta, 139
decoleyi, 139
macassariensis, 139
patinifera, 139
Habrocytus anthonomi, 522
piercei, 522
Hadrobregmus, 185
quadrulum, 186
Hadropsyche slossonae, 745
Haemaphysalis longicornis, 600
Haematobia irritans, 224, 855, 912, 1462
Hagensia, 1203
peringueyi, 1203
Halephydra, subgenus, 371
Haliplus triopsis, 38
Haplorhynchites, 983
Harpalus, list of species in cropland, 239
caliginosus, 41
erraticus, 238
fraternus, 239
funerarius, 239
Harpalus gravis, 41
herbivagus, 41, 240, 541
pennsylvanicus, 239
Hatching of sod webworm, 116
Hecabolus, 842
Hedobia, 183
granosa, 180
Hedria mixta, biology, 931
Helcon, 847
Helconidea, 847
Heliodines ionis, 521
Heliothis, as host for Cardiochiles nigriceps, 970
armigera, 493, 518
phloxiphaga, 970
spp., 400, 497
subflexa, 473, 970
virescens, 310, 471, 519, 781, 970, 1077, 1358, 1373, 1382, 1428
Heliothis virescens, zinc toxicity in, 850
zea, 423, 519, 624, 763, 970, 1358, 1382, 1428
epiphysis function on, 309
flicker fusion frequency of eye, 942
Hemiblabera brunneri, 139
granulata, 139
pabulator, 139
Hemicoelus, 185
carinatus, 180
Hemiptera, 144, 313, 603, 749, 763, 779, 1131, 1171, 1173, 1254, 1289
Hemisarcoptes malus, 49
Hemithyrsocera vittata, 132
Henicotyle antillarum, 679
sp., 679
Henschoutedenia bicolor, 139
elegans, 139
epilamproides, 139
frenata, 139
mombuttu, 139
occidentalis, 139
tectidoma, 139
Heteroecus dasydactyli, 566
nudus, 1354
Heterogony in Cynipidae, 565
Heterolaccus grandis, 518
hunteri, 521, 552
spp., 552
Heteroponera, 1200
imbellis, 1200
inca, 1201
relicta, 1200
Heteroptera, 965
Heterospilus, 842
Hexalure, traps baited with, 102
Hexamermis arvalis, parasite of cutworms, 1102
spp., notes on, 1177
Heydenia unica, 75, 896
Hieroblatta cassidea, 139
Hippelates collusor, 1089
eye-gnat attractants, 1086
Histeromerus, 842
Histology of: Heliothis zea eye, 85
mushroom-shaped gland in Dictyoptera, 977
Histopathology of beet leafhopper, 1025
Holcocera pulverea, 518
Holdawayella, 846
Holistic approach to insect population studies, 1399
Holocompsa sp., 680
Holomenopon, review, 633
acutae, 637
böhmi, 634
Holomenopon brevithoracicum, 639
bucephalae, 640
cairinae, 641
clauseni, 637
clypeilargum, 643
goliath, 634
leucoxanthum, 635
loomisii, 644
maxbeieri, 643
obscurum, 641
setigerum, 637
tadornae, 640
transvaalense, 640
tumidum, 639
Homalodisca coagulata, 520
Homalopteryx laminata, 139
Homalotylus terminalis, parasite of Anatis quindecimpunctata, 953
Homoeogamia mexicana, 680
Homoeosoma electellum, 519
Homolymph proteins in cabbage looper, 310
Homoptera, 32, 45, 81, 343, 353, 389, 474, 499, 718, 722, 739, 749, 883, 897, 904, 1025, 1031, 1038, 1177, 1180, 1188, 1190, 1237, 1240, 1245, 1342, 1392, 1407, 1471
Honey bee, antennal receptors, 919
behavior, 951
biology of queens, 228
drone comb effect on, 954
drone flight duration, 609
emergence of queen, 50
exposed to radiation, 268
forage at feeding stations, 448
pheromone concert in swarming, 1414
sterility of intestinal content, 315
temperature influence on, 960
Honeydew, field collection, 532
Hormetica apolinari, 139
laevigata, 139
subcincta, 139
verrucosa, 139
Hormius, 841
Horned passalus beetle, anesthesia of heart, 430
Horn fly, eclosion, 224
oxygen consumption by, 1462
sex ratio, 912
Host, behavior of mosquitoes, 513
preference of Trichogramma semifumatum, 1381
seeking stimulant, 471
Host-selection, behavior of Lema trilineata daturaphila, 1435
of Cheiloneurus noxius, 1233, 1259
Hostilia clavigera, 139
proterva, 139
House cricket, gamma radiation effect on, 119
House fly, introcellular potentials from myocardium, 1174
mating refusal in, 263
Humidity and Oryzaephilus surinamensis larvae, 90
Hyalella azteca, 745
Hyalomyzus, the genus, 883
chaenomelis, 883
collinsoniae, 883
eriobotryae, 885
jussiaeae, 885
sensoriatus, 885
tissoti, 883
Hyalophora cecropia, 68
Hyalopsocus floridanus, 73
Hybrid host and parasite populations, 558
Hybrizontidae, keys to Nearctic, 841
Hydrellia spp., 272
Hydrochara obtusata, 38
Hydrometra myrae, water mite parasite of, 1254
Hydrophantes tenuabilis, 1255
Hydrophilus triangularis, 38
Hydroporus dimidiatus, 38
Hydropsyche betteni, 745
bifida, 745
Hydropyrus, subgenus, 374
Hygrotus, revision of Nearctic, 503
acaroides, 507
farctus, 508
hydropicus, 510
intermedius, 510
marginipennis, 507
nubilus, 38
sayi, 509
Hylemya brassicae, 1079
reproductive behavior, 176
Hylurgops sp., 163
Hymenarcys nervosa and H. aequalis, biology, 1289
Hymenia recurvalis, 497
Hymenoptera, 29, 50, 81, 169, 202, 205, 228, 241, 315, 448, 452, 471, 562, 565, 571, 580, 589, 609, 620, 660, 774, 777, 824, 841, 919, 951, 960, 970, 996, 1007, 1050, 1183, 1186, 1188, 1191, 1197, 1233, 1259, 1335, 1357, 1361, 1373, 1376, 1381, 1414, 1424, 1470, 1472
Hypera arator, 1362
meles, 1362
nigrirostris, 519, 1362
plantaginis, 1362
postica, 88, 208, 299, 1106, 1230, 1361
aestivation, 77
photoperiod-diapause relationships, 1163
reproductive system abnormality, 951

Hypera punctata, 1104, 1362
viciae, 1362
Hypermallis villosus, 41
Hyphantria cunea, 1358
Hyphantrophaga hyphantriae, 388
Hypoderma spp., 115
Hypomicrogaster, 845
Hypoponera, 1210
iheringi, 1211
nitidula, 1208
opaciceps, 1208
opacior, 1208
spp., 1208
Hypselonotus punctiventris, scent fluid analysis, 749
Hysterobolus, 846
Hystolysis of muscles of Caloglyphus berlesei, 195

I

Ichneutes, 845
Ichneutidea, 845
Imblattella nr. litosoma, 131
sp., 135
Immature stages of Marmara fraxinicola, 765
Imported fire ant, foraging territories, 660
inquilines and arthropods from nests, 1376
seasonal life cycle, 562
Ingestion of latex particulates by mosquito larvae, 687
Inopus rubriceps, biological observations on, 1
Inquilines from imported fire ant nests, 1376
Insectary for ground beetles, 302
Interaction between Apechthis ontario and Itoplectis quadricingulatus, 205
Involvulus, 983
hirtus, 983
Iphiaulax, 842
eurygaster, 1419
Ips avulsus, 74
attack patterns, 894
Ips calligraphus, 74
fatty acid composition in, 251
Ips confusus, 1473
Ips grandicollis, 74, 587
attack patterns, 894
Ips pini, 163
emergence in ponderosa pine, 1473
Ips spp., 73, 253, 894
Iridomyrmex detectus, 1009
nitidiceps, 1009
pruinosus, 1010
rufoniger, 1009
sp., significance of 6-methyl-5-hepten-one in, 1007
Ischnoptera, 136
argentina ?, 138
castanea, 133
galibi, 133
mura, 133
nr. panamae, 138
spp., 133
Isia isabella, 1178
Isoniscus sjostedti, 139
Isocryptus sp., 1313
Isoptera, 59, 478
Itoplectis quadricingulatus and Apechthis ontario, interaction, 205
Ixodoidea, 1149, 1155

J

Jack-pine budworm, ants on dislodged, 384
release and recovery of larvae, 1185
Jagrehnia gestroiana, 139
idonea, 139
invisa circumdata, 139
i, invisa, 139
madecassa, 139
minuta, 139
paolina, 139
testacea, 139
Jalysus spinosus, biology, 779
Janetiella sp. nr. coloradoensis, 1099
Japanese beetle feeding on Phylloxera galls, 1466

K

Keiferia lycopersicella, 996
Keys to Nearctic genera, 841
Krizousacorixa femorata, meiotic chromosomes, 965

L

Labia minor, 1378
Labidura riparia, flight habits, 746
Laccophilus proximus, 38
quadrilineatus, 38
terminalis, 38
Lachnocrepis parallelus, 239
Lacinipolia renigera, 1104
Laelaps echidnina, radiation perception by, 925
Lamachus spp., 1425
Lambdina fiscellaria lugubrosa, 205
punctata, life history, 386
Lampides boeticus, 518
Lamproblatta albipalpus, 127
meridionalis, 678
romani, 128, 679
Lamproblattinae, 679
Lanxoblatta emarginata, 139
frater, 139
lata, 139
Lariophagus texanus, 521
Lasconotus pusillus, 74
referendarious, 74
Lasioderma, 187
serricorne, 180, 522, 752
Laspeyresia caryana, 519
pomonella, 521
Latex particulates, ingestion by mosquito larvae, 687
Lasius (Dendrolasius) spathepus, alarm pheromone, 589
Lathrolium dimidiatum, 1378
Latiblattella angustifrons, 132
sp., 128
Latindia dohrniana, 129, 680
Laxta pallida, 139
Lebia solea, 239
Legs on weevil larvae, 1340
Leiophron, 846
Leluthia, 842
Lema trilineata daturaphila, host-selection behavior, 1435
Lepidoptera, 52, 85, 102, 116, 309, 311, 331, 334, 347, 381, 384, 386, 413, 437, 471, 485, 488, 492, 612, 624, 647, 651, 763, 765, 770, 850, 864, 942, 970, 1077, 1083, 1091, 1094, 1102, 1107, 1159, 1172, 1185, 1264, 1330, 1369, 1431, 1448, 1469
Leptacinus paurumpunctatus, 73
Leptacis sp., 76
Leptinotarsa decemlineata, 1231, 1444
Leptogenys (Lobopelta) iheringi, 1212
Leptoglossus clypeatus, 749
Leptothorax schaumi, 76
Leschenaultia adusta, genetic marker for, 305
Lesser mealworm, odoriferous gland, 425
Lestodiplosis sp., 74
Lethocerus, 1255
Leucania sp., 1428
Leucophaea maderae, 68, 687, 763
pustulata, 139
Life history of Dichaeta caudata, 271
Draeculacephala spp. and Paraulacizes irrorata, 1393
Lambdina punctata, 386
Swiss biotype of a flea beetle, 834
Winthemia manducae, 399
Life tables for Trichogramma, 824
Linkage Group VI of German cockroach, 1178
Liobracon, 844
Liochthonius australis, 317
perpusillus, 317
Liodora dumosae, 568
Liometopum apiculatum, trophobiosis and feeding habits, 1186
Lipaphis erysimi, 1176
Lipase effect on insect fat body morphology, 68
Listronotus debilis, 519
oregonensis, 518
Lithocharodes ruficollis, 1378
Litopeltis biolleyi, 139
bispinosa, 686
orwas, 139
Lixophaga n. sp., 1420
Lixus musculus, 520
scrobicollis, 518
Loblolly pines, spiders in, 864
Lobodiplosis triangularis, 74
Lobopterella dimidiatipes, 138
Locustacarus, 1298
Lodgepole pine, mountain pine beetle in, 293
Lomechusa strumosa, defensive secretion, 975
Lonchaea auranticornis, 75
corticis, immature stages and predator of white pine weevil, 1221
polita, 75
Lone star tick, laboratory studies, 378
oviposition, 191
Longitarsus jacobaeae for control of tansy ragwort, 834
Lophoblatta arlei, 130
brevis, 130
sp., 132
Lophometopum sp., 139
Loricera pilicornis, 239
Lorryia sp., 49
Lutnes sp., 75
Lycosa carolinensis, 409
Lyctocoris elongatus, 73
Lygaeus kalmii, temperature and reproductive success in, 1171
turcicus, temperature and reproductive success in, 1171
Lygocerus niger, 391
spp., 389
Lygus hesperus, temperature and, 144
Lysaphidus, 848
Lysiphlebus, 848

M

Macrocentrus, 847
Macropanesthia gigantea, 139
rhinoceros, 139, 686

XUM

Macrosiphum euphorbiae, ecology of parasites, 389
(Sitobion) fragariae, 1176
Magdalis armicollis, 518
sp., 518
Malacosoma americanum, 520
disstria, 1358
Mallophaga, 633
Manduca quinquemaculata, 310, 400
sexta, 400, 763, 781, 971, 1428, 1444
sexta, morphology, 437
Mansonia titillans, 1122
Mantodea, 979
Margattea ceylanica, 131
punctulata, 131
Marietta pulchella, 49
Marmara fraxinicola, immature stages, 765
in white ash stems, 770
Marsh treader, water mite parasite of, 1254
Mastrus aciculatus, 1402
Maruca testulalis, 518
Mathematical model of insect population, 325
Mating, behavior of Dioryctria abietella, 612
frequency of Mediterranean fruit fly, 949
Mating in: Aedes, 234
Chrysops atlanticus, 1421
Mating of European corn borer, 1091
refusal in house flies, 263
Maydeae resistance to western corn rootworm, 861
Medetera bistriata, 75
olfactory discernment of prey, 586
Mediterranean fruit fly, mating frequency, 949
radiation-sterilization of, 627
reproduction, 312
Megacephala carolina, 41
Megachile rotundata, 1183
Megacoccus tasmaniensis, 343
Megaponera foetens, 1203
Megaselia aletiae, 523
nigriceps, 523
pygmaeoides, 523
n. sp., 1420
sp., 1379
Megoblatta blaberoides, 682
Megorama, 187
frontalis, 184
ingens, 188, 1303
simplex, 181
Meiotic chromosomes of Krizousacorixa femorata, 965
Melanaspis obscura, biology, 45
Melanocanthon hispinatus, 859
Melanoplus rugglesi, field biology of, 574
sanguinipes, amino acids in, 693, 703
Melissopus latiferreanus, 233
Melittobia chalybii, 75
Melyrodes cribratus, 73
Merhynchites, 983
Mermithid parasite of cutworms, 1102
Merycomyia whitneyi, biology, 1182
Mesochorus nigripes, 1363
Mesocoelopus, 187, 1301
collaris, 188
Mesograpta sp., 1379
Mesoponera, 1205
australis, 1206
caffraria, 1206
clarki, 1213
constricta, 1216
fauveli, 1206
gilberti, 1206
melanaria, 1206
stigma, 1213
wroughtoni, 1206
Metabolic rate in cockroach, 450
Meteoridea, 847
Meteorus, 847
laphygmae, 523
Methana marginalis, 133
METHODS
Abdominal glands of lesser mealworm, 425
Abnormalities in Tenebrio molitor, 1117
Abundance of southern pine beetle associates, 76
Aggressive response patterns of Apis mellifera, 1472
Aging in diploid wasps, 777
Amino acids and Musca domestica, 248
Analyses of fatty acids in Ips, 251
Anesthesia of horned passalus beetle heart, 431
Apis mellifera, flight duration, 609
Apple, phytoseiid mites associated with, 813
Arthropods associated with imported fire ant, 1376
Attachment rate of Amblyomma americanum, 303
Attack of white pine weevil in white pines, 1460
Attractants for Hippelates eye gnats, 1086
Bark beetle olfaction, 267
BEHAVIOR: host selection of Cheiloneurus noxius, 1260
sexual, of Diprion similis gynandromorphos, 1191
tarsalectomy and antennectomy, 294
BEHAVIOR OF: Byrsotria fumigata, 874
cabbage maggot, 176
cereal leaf beetle, 655
Cheloneurus noxius, 580
citrus red mite, 804
Dioryctria abietella, 414, 613
honey bee, 951
Lema trilineata daturaphila, 1436
mosquitoes, 513
olive fruit fly, 1112
Ooencyrtus kuwanai, 1051
pea aphid on chemical diet, 499
shothole borer, 751
Sitka spruce weevil, 467
thoracic spiracles, 94, 97
Behavioral and chemical studies of rice stalk borer, 1469
Bioassay technique and mating refusal in house flies, 263
Biting in saltmarsh deer fly, 1421
Brood and honey production of honey bee, 954
Changes in fauna by impoundment, 743
Chemistry of tergal gland secretion of Lomechusa strumosa, 974
Chromosomes of Krizousacorixa femorata, 965
Circumventing difficulties in histochemistry study of neurosecretory material, 763
CO_2 excretion, busulfan effect on, 822
Comparison of: Culicoides populations, 215
enzymes and proteins of spiders, 409
Compatability of Aulocara elliotti
METHODS
sexes, 156
Compound eye of Heliothis zea, 85
Conditions conducive to flight in striped earwig, 745
Control of: cropland beetles, 238
tansy ragwort, 834
Controlled densities, action of Bracon hebetor as parasite of Plodia interpunctella, 1335
Corn borer sex attractant and inhibitors, 1084
Correction factor for Ips pini exit hole numbers, 1473
Cross-mating citrus thrips populations, 870
Cultivation of tick hemocytes, 1249
Culture of monolayer cell lines, 722
Defensive mechanism in Diabrotica larvae, 1021
Depletion of trehalose and glycogen in cockroaches, 784
Determination of cellular nucleic acid in Aedes aegypti, 972
Development of: Paraleurocerus bicoloripes, 774
parasitic water mite, 1255
spiders, tool to evaluate, 757
Xylocoris flavipes, 1131
Diapause: in Aedes triseriatus, 12, 969
of cereal leaf beetle, 656
DIET: and changes in Melanoplus sanguinipes, 693
argenine in boll weevil, 480
artificial, for rearing Nantucket pine tip moth, 1160
artificial, for omnivorous leaf roller, 1172
chemically defined, and pea aphid, 499
containing Fumidil B for European corn borer, 1265
elm spanworm, 331
holidic, for pea aphid, 353
in laboratory rearing of chironomid midges, 1166
meridic, for southwestern corn borer, 483
pea aphid, 474
pea aphid, sucrose in, 739
powdered milk, and black vine weevil larvae, 1340
queen honey bee, 228
soybean-wheat germ for tobacco budworm, 1077
synthetic, greenbug development on, 1237, 1240, 1245
synthetic, rearing aphids on, 1176
Dietary amino acids and Musca domestica, 247
Digestive system of: greenbug, 1031
ticks, 1150
Dipper for mosquito larval sampling, 537
Dislodged jack-pine budworm, ants on, 384
Dissection to determine age of Sarcophaga tibialis, 754
DISTRIBUTION: changes in European corn borer, 1369
DISTRIBUTION OF: cynipid galls, 571
egg froth, 1190
Duration of honey bee flight, 609
Ecology of Inopus rubriceps, 2
Effects on insect fat body, 68
Egg parasite host preference, 1381

METHODS
Elimination of Nosema heliothidis from corn earworm, 625
Embryonic and postparturienic reproductive-system development, 603
Emergence: of horn fly, factors affecting, 913
patterns of horn flies, 224
Environment and: aging influence on Aulocara elliotti, 1058
European corn borer mating, 1091
Environmental biology of leafhopper, 809
Evaporation of Trichoplusia ni compound from substrates, 381
Excretory system of ticks, 1155
Eye of Heliothis, flicker fusion frequency, 942

FEEDING: caeculid mites, 760
conditions of Trogoderma glabrum, 150
milkweed bug, 1173
FEEDING AND: growth of Heliothis virescens, 851
nutrition of insects associated with soybeans, 1044
survival of eastern subterranean termite, 59
FEEDING OF: Argas radiatus, 297
Lema trilineata daturaphila, 1436
Liometopus apiculatum, 1186
mosquitoes, 513
preferences of phytophagous insects, evaluation, 964
rate of Culex tarsalis, 669
response of alfalfa weevil to host plant, 1230
stations, honey bees at, 448
stimulant for Scolytus multistriatus, 545
FEEDING HABITS: and mouth parts of greenbug, 898
of Corticeus substriatus, 293
Fertility of Trichogramma, 825
FIELD: activity of cabbage maggot, 1227
biology of Melanoplus rugglesi, 574
ecology of potato aphid parasites, 389
Foodstuffs and Acarus siro, 531
Fungi associated with Dendroctonus, 124

Gall-forming Cynipidae, heterogony in, 566
Glands of Blattaria, addition to studies on, 127

Habits of pinyon stunt needle midge, 1099
Hairpencils of Trichoplusia ni, 347

Immature stages of: Cordilura, 1310
Hymenarcys, 1289
Lonchaea corticis, 1221
Incompatibility in plum curculio, 665
Index to metabolic rate in cockroaches, 450
Infestation of irradiated white oaks, 1095
Ingestion rates of mosquito larvae, 688
Insects of bur oak acorns, 232
Interpopulation hybrid host on parasite populations, 559
Intestinal content of honey bee, sterility, 315
Introcellular potentials from house fly myocardium, 1174
Irradiation of alfalfa weevil larvae, 88

Laboratory mating in Aedes, 235
Life cycle of Solenopsis saevissima richteri, 562
Life history of: obscure scale, 46
Stethorus punctum, 1218
Light, response of Chaoborus larvae to, 462
Mass collecting alfalfa weevils, 299
Measurements of Pselaphorhynchites, 983
Melampyrum seed caches, 1474
Microscopic studies of honey bee, 919
Mimicry of Lasius (Dendrolasius) spathepus by Pella spp., 589
Monkeys, ectoparasites, 973
Movement of boll weevils into cotton field, 254
Mushroom-shaped gland in Dictyoptera, 977
Myrmecophilous beetle, defensive secretion, 975

Nervous systems of greenbug, 1039
Notes on Anobiidae, 179
Nymphal muscles of acarid mite, 195

Oversummering scab mites, 105
OVIPOSITION: preferences of Tabanidae, 547
sites and development of Eulachnus agilis, 1407
slash-pine sawfly, 241
OVIPOSITION OF: American dog tick, 1305
lone star tick, 191
Ovipositional response of Plathypena scabra, 647

Parasite, species attacking Spodoptera littoralis, 493
transmission in beetles, 163
Parasite of: sorghum greenbug, bionomics, 81
tomato pinworm, 997
Passive dispersal of organisms, 37
Patterns of attack of Ips, 895
Penetration of egg membranes by compounds, 33
Pheromone, Scolytus multistriatus attraction to, 1144
Photic entrainment of circadian activity in Periplaneta americana, 1011
Photoperiod-diapause in alfalfa weevil, 1163
mating and temperature in Campoletis perdistinctus, 1374
Photoperiod,
Photoperiodic induction of diapause in Typhlodromus, 963
Physical factors of tobacco hornworm, 399
Pipings and vibration of honey bees, 50
Polarized light, analysis, 879
Population, dynamics of: boll weevil, 395
Telenomus fariai, 29
Population, response of insects to ionizing radiation, 456
studies, holistic approach to, 1399
trends of whitefly and Encarsis formosa, 1188
Potentials of vector of alfalfa dwarf virus disease, 1394
Predator-prey ratios, 219
Predatory spiders in pines, 865
Preferences of Telenomus fariai progeny, 30
Prey discernment by Medetera bistriata, 587
Production of periplanetin, 307
Proteins in cabbage looper, 310
Pupation of Trogoderma glabrum larvae, 946

Queen honey bees and determination of swarm to presence, 1414

RADIATION: ionizing, insect response to, 456
perception by spiny rat mite, 925
resistant strain of Aedes aegypti, 1247
sterilization of Mediterranean fruit fly, 627
worker honey bees exposed to, 269
RADIATION AND: house crickets, 120
insect response, 419
Rate of oxygen consumption by horn fly, 1462
REARING: Acyrthosiphon pisum, 353
alfalfa leafcutter bees, 1183
aphids on synthetic diet, 1176
blow fly on sugar-containing media, 1270
Boophilus microplus on rabbits, 599
chironomid midges, 1166
Corimelaena l. lateralis, 313
cylinders for black fly, 1192
diamondback moth, 651
Longitarsus jacobaeae, 835
Nantucket pine tip moth, 1160
omnivorous leaf roller, 1172
sugar cane froghopper nymphs, 1471
tobacco budworm, 1077
Recording circadian periodicity of pink bollworm, 1432
Recovery and release of jack pine budworm larvae, 1185
Reduced experimental universes, 27
Relationship between: Culex densities, 1074
parasitism and predation of sawflies, 1425
Relative humidities and face fly responses, 1367
Release rate, response threshold, and communication distance for Trichoplusia ni, 1449
REPRODUCTION: by Dermacentor variabilis, 1287
in Graphognathus, 708
in Mediterranean fruit fly, 312, 949
of boll weevils, 1390
Scaphytopius delongi, 1180
Reproductive: behavior of olive fruit fly, 1112
physiology of Byrsotria fumigata, 874
success in Oncopeltus and Lygaeus, 1171
Reproductive system: abnormality in Hypera postica, 951
and ovarian development of Circulifer tenellus, 1025
of spruce budworm, 1107
Resistance, in barley to greenbug, 719
of Maydeae to western corn rootworm, 861
Respiratory mechanism of spider mite eggs, 1135
Response(s) of: fowl tick to cadmium

METHODS
and antimony, 258
grain mite to fungi, 63
male moths to scent brush secretions, 1428
Oryzaephilus surinamensis to humidity, 90
Salivary gland complex of greenbug, 905
Sap feeder, Marmara fraxinicola, 765, 770
Sensitivity of Dermacentor albipictus to photoperiod, 1457
Significance of 6-methyl-5-hepten, 1008
Skeleton and muscles of tobacco hornworm, 438
Spermatophore transfer of lone star tick, 378
Spider mite, biology, 807
Sterilization of Mediterranean fruit fly, 627
Strains of Psoroptes ovis, 109
Studies of ground beetle, 541
Substance stimulating host-seeking, 471
Suitability of Heliothis as Cardiochiles host, 970
Summer diapause in Hypera postica, 78
Survival, and tolerance levels in Aedes aegypti, 1247
of greater wax moth pupae, 205
Swine-beetle-nematode relationship, 856
Taxonomic implications of morphology of cockroach proventriculi, 672
TEMPERATURES, aphids held at controlled, 169
Temperature, host age relationship to egg development, 203
interaction in Culex tarsalis, 669
limits of mountain pine beetle flight, 534
of Lygus hesperus, 144
TEMPERATURE AND: circadian rhythms of Trichoplusia ni, 488
development rate of cabbage maggot, 1079
pink bollworm, 334
reproductive success in Oncopeltus and Lygaeus, 1171
TEMPERATURE, EFFECT ON: alfalfa weevil adults, 209
Campoletis perdistinctus, 1374
honey bees, 960
Termite sternal gland, 478
Territories of imported fire ants, foraging, 661
Testing male attraction to omnivorous leaf roller females, 1330
Tethered scolytids, flight arrestment, 1273
TOXICITY: of compounds to greenbug, 719
zinc, in Heliothis, 851
Trap(s), wing and cotton, and weevils, 530
Trapping pink bollworms with hexalure-baited traps, 102
Variability in mosquito flight paths, 1122
Variates in stored-grain ecosystems, 789
Water, characteristics of mosquito-inhabited, 465
Wood-boring activities of Oberea schaumii, 1418
Mexican bean beetle, growth on artificial media, 1044
Microbregma, 185
e. emarginatum, 186
Micrococcus, 346
sp., 1468
Microcrambus elegans, 117
Microctonus, 846
aethiops, 208
colesi, 211
spp., 210
Microdina forceps, 139
Microdontomerus anthonomi, 521, 554
Microfluorometric assay, use, 972
Microgaster, 845
Microlarinus lareynii, 522
lypriformis, 522
Microlestes nigrinus, 240
Microplitis, 845
croceipes, host-seeking by, 471
rufiventris, 493
Micropsectra spp., 745
Microtrombicula *brachytrichia*, 214
Microtypus, 848
Microzogus, 185
Midges, parasitic, of Trichohelea, 15
Midroweisea misella, 49
Mikoletzkya *hamdenensis*, 163
pugnea, 164
Milkweed plant bug, feeding by, 1173
Mimosestes sallaei, 520
Minablatta bipustulata, 139
Miopanesthia stenotarsis, 139
Mirax, 845
Mite(s), new genus and species, 1297
of Quintana Roo, 594
Mitomycin-C, effect on Bracon serinopae, 777
Molytria inquinita, 139
Mompha stellata, 519
Monachoda burmeisteri, 139
grossa, 139
latissima, 139
Monastria biguttata, 139
similis, 139
Monitoriella, 844
Monochamus carolinensis, 74
notatus, 19
scutellatus, 19
sp., 19
titillator, 74
Monoctonus, 390, 848
Monolexis, 842
Monomorium minimum, 76
Monosaccharides and Empoasca eggs, 34
Moodna ostrinella, 233
sp., 518
Morphna badia, 139
dotata, 139
maculata, 139
plana, 139
Morphological changes in Tenebrio molitor, 1116
Morphology, chemistry of lesser mealworm gland, 425
Morphology of: Byrsotria fumigata gynandromorphs, 874
cockroach proventriculi, 671
Graphognathus, 709
insect fat body, 68
ladybird beetle, 1217
mushroom-shaped gland in Dictyoptera, 977
tobacco hornworm, 437
Mortality factors for Oberea schaumii, 1417
Mosquito, device for larval sampling, 537
flight and environment, 1121
host behavior, 513
infestion of latex particulates by larvae, 687
inhabited water, characteristics, 465
Mountain pine beetle, Corticeus association with, 293
flight, 534
Muesbeckia, 845
Musca autumnalis, 1367
domestica, 263, 436, 535, 558, 763, 1174, 1459
domestica and dietary amino acids, 247
Muscidifurax raptor, 559
Mycetoporus americanus, 1378
Mygopopone, 1212
Myiocephalus, 846
Myiophasia sp., 523
Myopias, 1211
Myopias sp., 1211
Myrmecaphodius sp. nr. excavaticollis, 1377
Myrmecasaurus sp., 1377
Myzus eriobotryae, 883
ornatus, 1176
persicae, 296, 389
Mystrium, 1197

N

Nahublattella sp., 132
Nantucket pine tip moth, rearing, 1159
Nasonia vitripennis, 559, 1069
Nauclidas nigra, 139
Naupheta cinerea, 687
Nausibius repandus, 74
Neacanthocinus obsoletus, 74
Nelipophygus banksi, 134
Nematode associates of Pissodes, 162
Nemorius bouvieri, 160
vitripennis, 160
Neoblacus, 846
Neoblatella nr. binodosa, 132
sp., 135
Neochrysops globosus, 158
Neodiprion abbottii, 242
compar, 242
lecontei, 242
merkeli, biology, 241
pratti banksianae, 1424
sp., 242
swainei, 1424
Neogastrallus, 185
Neohebodia, 183
texana, 188
Neolasioptera sp., 1379
Neomyzus circumflexus, 477, 1176
Neoparasitylenchus rugulosi, Scolytus rugulosus altered by, 751
Neoponera, 1205
cavinodis, 1205
moesta, 1205
Neostylopyga rhombifolia, 678
Nephelodes emmedonius, 1104
Net for alfalfa weevil collection, 299
Neurosecretory material in insects, 762
saltatorius, 571
Neuroterus decipiens, 568
saltatorius, biology, 565
Nezara viridula, 980, 1069
Nicobium, 185
castaneum, 186
Nilaparvata lugens, 1069
Noctuid moths, sex pheromones, 381, 488

Northern fur seal, sucking lice of, 280
Nosema heliothidis, elimination from corn earworm, 624
Noserus, 845
Notice of annual meeting, 748
Notiotheca, 183
Notiotheca bimaculata, 183
Notiphila scalaris, 272
Notolampra antillarum, 139
gibba, 139
Notonecta, 1255
Nucleic acid and protein, synthesis, 822
Nyctibora lutzi, 682
obscura, 682
sp., 139, 682
Nyctiborinae, 682

O

Oberea schaumii, mortality factors, 1417
Obituaries: Carl Kester Dorsey, 536 Harlow Burgess Mills, 1476
Obscure scale, biology, 45
Ochthera mantis, 272
Odinia sp. nr. xanthocera, 1420
Odontobracon, 842
Odontomachus, 1212
cephalotes, 1212
hastatus, 1212
Odontoponera, 1213
Odoriferous gland of lesser mealworm, 425
Olfaction of bark beetles, 266
Olfactory discernment of prey by Medetera bistriata, 586
Oligomerodes, 185
Oligomerus, 185
alternans, 182
obtusus, 188
sericans, 180
Oligonychus punicae, predation on, 219
Olive fruit fly, behavior and physiology, 1112
Omnivorous leaf roller, rearing on artificial diet, 1172
sex pheromone in, 1330
Oncometopia orbona, 520
Oncopeltus fasciatus, 763, 1069, 1173
temperature and reproductive success in, 1171
Oncopeltus unifasciatellus, temperature and reproductive success in, 1171
Oncophanes, 845
Onthophagus concinnus, 858
depressus, 858
hecate, 859
pennsylvanicus, 858
spp., 859
tuberculifrons, 1379
Onycholobus portalensis, 130
Onychomyrmex hedlei, 1198
Oobius sp., 75
Ooencyrtus kuwanai, responses to environment, 1050
Opatrinus minimus, 74
Ophthalmoporie, 1203
berthoudi, 1203
Opisthoplatia orientalis, 139
Opius, 848
Optioservus fastidius, 745
Orgilus, 846
Orthacheta hirtipes, 1313
Orthellia caesarion, blue pigment of, 1459
coerulea, 1460
lauta, 1460
Orthocladius spp., 745
Orthoptera, 119, 155, 306, 450, 574, 693, 703, 784, 874, 1010, 1057, 1178, 1464
Oryzaephilus surinamensis, 789
humidity response, 90
Osorius latipes, 1378
Ostrinia nubilalis, 419, 519, 1083, 1264, 1369
mating, 1091
Oulema melanopus, sexual behavior and diapause of, 655
Ovarus clivinae, endoparasite of slender seedcorn beetle, 887
Oviposition (see Methods)
Oxycercus peruvianus, 139
Oxygen consumption by horn fly, 1462
Oxyhaloa buprestoides, 139
deusta, 139
ferreti, 139
minima, 139
perspicua, 139
Oxyhaloinae, 686
Oxytelus sp., 1378
Ozognathus, 185
cornutus, 182

P

Pachycondyla, 1213
Pachycrepoideus sp., 75
Pachyneuron siphonophorae, 391
spp., 389
Paederus sp., 1378
Palm chat nests, new species of Argas from, 1410
Pambolidea, 841
Pambolus, 841
Panagromacra *faceta*, 163
Panchlora bidentula, 139
minor, 139
nivea, 685
sagax, 139
sp., 139
thalassina, 139
Panchlorinae, 686
Pandemis lamprosana, 621
Panesthia angustipennis, 139
brevipennis, 139
cribrata, 139
flavipennis, 139
hilaris, 139
laevicollis, 139, 685
lobipennis, 139
obtusa, 139
ornata, 139
plagiata, 139
quadriglumis, 139
regalis, 139
ruficeps, 139
saussurei, 139
sinuata, 139
spadica, 139
stellata, 139
transversa, 139
wallacei, 139
Panesthiinae, 686
Panonychus citri, 804
ulmi, 817, 1217
Papernest wasps, 1357
Parachasma, 848
Parahormetica bilobata, 139
cicatricosa, 139
Parahormius, 844
Paraleurocerus bicoloripes, 773
polyembryony in, 774
Paralobesia viteana, 519, 621
Paralobium, 183
mundum, 188
Paranauphoeta basalis, 139
circumdata, 139
discoidalis, 139
rufipes, 139
Paranomopone, 1200
Paraponera, 1213
Parasecia *orphana*, 212
Parasite(s), of potato aphid, 389
populations and hybrid host, 558
Parasitism, and predation in diprionid sawflies, 1424
of Anatis quindecimpunctata, 953
Parasitization by Brachymeria intermedia on gypsy moth, 753
Parasitoids attacking Spodoptera littoralis, 492
Parasymploce limbata, 132
sp., 132
Paratrechina longicornis, 1379
parvula, 76
Paraulacizes irrorata, life history, 1393
Parcoblatta virginica, 680
sp., 1378
Parellipsidion conjunctum, 132
latipenne, 681
Paroligoneurus, 845
Parydra bituberculata, 272
Pasimachus elongatus, 239
Patrobus longicornis, 239
Pauesia, 848
Pea aphid, chemically defined diet for, 474
probing behavior, 499
sucrose in diet, 739
Peach, western X-disease of, 722
Pectinophora gossypiella, 102, 518, 763, 1330, 1431
sex pheromone gland, 311
and temperature, 334
Pediasia caliginosella, 118
trisecta, 117
Pedicinus o. obtusa, antennal sensilla coeloconica of, 973
Pedinotus, 844
Pediobius lithocolletidis, 773
Pelastoneurus sp., 588
Pelecystoma, 845
Pella spp., mimicry of Lasius (Dendrolasius) spathepus by, 589
Pellucidomyia, neotropical, 446
Pellucidomyia blantoni, 446
dycei, 446
lanei, 446
leei, 446
oliveirai, 446
ugandae, 446
wirthi, 446
Penetration of feeding stimulant into Scolytus multistriatus, 544
Pentaneura spp., 745
Pentatoma aequalis, 1289
boxura, 1289
nervosa, 1289
Pentatomid egg parasite, parasitization capabilities, 452
Penthetria *abacula*, 1466
alderensis, 1466
rubiensis, 1465
Perezia pyraustae, 1264
Peridorcatoma, 183
dufaui, 183
Perilampus hyalinus, 1425
modestus, 1425
sp., 521
Perilitus, 846

Periplaneta americana, 307, 456, 679, 763, 977
circadian activity in, 1010
trehalose and glycogen depletion in, 784
Periplaneta aspera, 139
fuliginosa, 456, 678
indica, 139
Periplanetin, production in American cockroach, 306
Perisphaeria ruficornis, 139
saxicola, 139
scabra, 139
stylifera, 139
virescens, 139
Perisphaerinae, 686
Perisphaerus aeneus, 139
armadillo, 139
aterrimus, 139
contiguus, 139
flavicornis, 139
Petalium, 187, 1301
Petalodes, 845
Petasodes reflexa, 139
Phalacrotophora fasciata, 523
Phalonia sp., 523
Phanaeus igneus, 857
vindex, 857
Phanerotoma, 847
Phanomeris, 844
Pheidole bicarinata vinelandica, 1379
m. metallescens, 76
Phenacoccus acericola, 1354
aceris, 1344
group, 1354
regnillhoi, 1342
Pheromone concert in swarming honey bees, 1414
Phlebonotus anomala, 139
pallens, 139
Phobocampe sp., 388
Phoetalia circumvagans, 139
Phoraspis blanchardi, 139
brachytaenia, 139
convexa, 139
fastuosa, 139
leucogramma, 139
picta, 139
Phorate and Empoasca eggs, 35
Phormia regina, 1459
behavior, 1269
Phortioeca apolinari, 139
maximiliana, 139
nimbata, 139
peruana, 139
phoraspoides, 685
verrucosa, 139
Phortioecoides guarani, 139
Phosphorus-32 tagged jack pine budworm larvae, 1185
Photoperiod effect on Amblyomma americanum, 303
Phygadeuon sp., 1313
Phyllobaenus pubescens, 523
Phyllodromia latipennis, 681
Phyllophaga torta, 41
Phylloxera, Japanese beetle feeding on galls, 1466
Phylloxera notabilis, 1466
Physcus varicornis, 49
Physiology of: Byrsotria fumigata, 874
olive fruit fly, 1112
ticks, 1149, 1155
Piaconota bifasciata, 139
Pilema cribrosa, 139
dentata, 139
fusca, 139
reflexa, 139
thoracica, 139
Pimpla sanguinipes erythropus, 388
sp., 520
Pin oak, obscure scale on, 45
Pinaconota sicca, 138
Pink bollworm, and temperature, 334
catches in hexalure-baited traps, 102
circadian periodicity, 1431
sex pheromone gland, 311
Pinyon stunt needle midge, biology, 1099
Pioscelus, 842
Pissodes, nematode associates, 162
Pissodes approximatus, 162
dubius, 162
engelmanni, 163
nemorensis, 74
seriatum, 182
sitchensis, behavior, 467
strobi, 163, 1460
strobi, Lonchaea corticis predator of, 1221
terminalis, 163
Pisum sativum, comparison with Vicia faba on chemical diet, 499
Pityophthorus annectans, 74
bisulcatus, 74
Plathypena scabra, ovipositional response, 647
Platybregmus, 185
canadensis, 180
Platygaster n. sp., 76
pini, 1101
Platynota stultana, 1172
sex pheromone in, 1330
Platynothrus peltifer, 530
Platypus flavicornis, 74
Platysoma parallelum, 73
Platythyrea, 1198
australis, 1198
cribrinodis, 1198
incerta, 1198
Plectopterinae, 682
Plegaderus pusillus, 73
transversus, 73
Pleolophus basizonus, 1402
indistinctus, 1402
Plodia interpunctella, 456, 473, 518, 1131
action of Bracon hebetor as parasite of, 1335
Plum curculio, reproductive isolation in, 665
Plusia spp., 497
Plutella maculipennis, 1069
xylostella, 651
Pogonomyrmex barbatus, 1186
Polistes annularis, 1358
apachus, 1357
bellicosus, 1358
carolina, 1358
metricus, 1358
nests, 1357
rubiginosus, 1358
Polyembryony in Paraleurocerus bicoloripes, 774
Polygonia comma, 1178
interrogationis, 1178
Polypedilum spp., 745
Polyphaga aegyptiaca, 127
Polyphagidae, 679
Polystenidea, 844
Polyzosteria viridissima, 678
Polyzosteriinae, 679
Ponderosa pine, Ips pini emergence in, 1473
Ponera, 1208
alpha, 1208
coarctata, 1208
coarctata pennsylvanica, 1208
elegantula, 1210
incerta, 1210
inexorata, 1379
japonica, 1208
leae, 1210
lutea, 1209
nitidula, 1208
opaciceps, 1208
pennsylvanica, 1210
spp., 1208
taipingensis, 1208
tenuis, 1210
trigona opacior, 1208
woodwardi, 1210
xenagos, 1208
Ponerinae, ant larvae of, 1197
Popilius disjunctus, anesthesia of heart, 430
Popillia japonica, 1466
Population (see Methods)
Porthetria dispar, 1051, 1330
Potato aphid, ecology of parasites, 389
Praon, 848
Predation by Amblyseius limonicus, 219
Priobium, 183
carpini, 183
sericeum, 180
taneum, 183
Prionomerus calceatus, 521
Prionopelta opaca, 1197
Priotoma, 183
incomptus, 183
Probaryconus sp., 76
Probezzia, six new species, 729
Probezzia *albitibia*, 732
Probezzia albiventris, 733
atriventris, 734
bottimeri, 734
concinna, 734
flavonigra, 734
fuscipennis, 735
infuscata, 735
jamnbacki, 735
ludoviciana, 736
nigra, 736
pallida, 736
rosewalli, 736
sabroskyi, 736
seminigra, 737
smithii, 737
unica, 737
williamsi, 737
xanthogaster, 738
Probing behavior of Acyrthosiphon pisum, 499
Probolomyrmex, 1198
Procecidochares utilis, 520
Proceratium, 1202
silaceum, 1202
sp., 1202
Proechimys guyannensis, new chiggers from, 212
Proechinophthirius fluctus, 286
Progaleritina mexicana, analysis of defensive scent fluid, 1191
Progonogamia hebardi, 139
Pronauphoeta viridula, 139
vitellina, 139
Propylea 14-punctata, sex determination in, 957

Proscratea complanata, 137
montezuma, 686
Prosimulium fuscum, 1195
gibsoni, 1193, 1195
vernale, 1193, 1195
Prospaltella berlesii, 49
fuscipennis, 49
Prosphyracephala *rubiensis*, 959
Prostigmata, 594
Proterops, 845
Protheca, 187
hispida, 184
Prothoracic mycangium of Dendroctonus adjunctus, 123
Protomicroplitis, 845
Protozoans, dispersal by Coleoptera, 36
Proxenus miranda, 1104
Psalidomyrmex, 1213
Pselaphorhynchites, American, 982
Pselaphorhynchites aeratoides, 990
aeratus, 995
aureus, 987
cyanellus, 988
dilatarostris, 989
elusus, 990
fossifrons, 984
insularis, 986
levirostris, 986
lindae, 992
macrophthalmus, 989
naso, 984
perplexus, 990
striafrons, 992
Pseudaletia unipuncta, 1428
Pseudoglomeris glomeris, 139
Pseudognaptodon, 846
Pseudogoera singularis, 890
Pseudogoerinae, new subfamily of Odontoceridae, 890
Pseudolispinodes tenellus, 73
Pseudomonas aeruginosa, 1468
Pseudomops septentrionalis, 138
Pseudophoraspis congrua, 139
Pseudophoraspis fruhstorferi, 139
nebulsoa, 139
Psilocephala haemorrhoidalis, 75
Psorophora ciliata, 1122
confinnis, 465, 1122
ferox, 1122
howardi, 1122
Psoroptes ovis, oversummering, 105
strain variation in, 109
Pterocolinae, 982
Pterocolus, 982
ovatus, 982
Pterostichus caudicalis, 239
chalcites, 240, 541
corvinus, 239
femoralis, 239
lucublandus, 240
lucublandus, biology, 540
scitulus, 239
Ptesimogaster, 843
Ptilineurus, 183
marmoratus, 186
Ptilinus, 183
basalis, 180
ruficornis, 188
Ptinodes, 185
Pupation and emergence of Dioryctria abietella, 413
Puto arctostaphylii, 1354
sandini, 1354
Pycnoscelinae, 686
Pycnoscelus indicus, 685
niger, 139
striatus, 140
Pyemotes ventricosus, 523
Pygostolus, 847
Pyrausta penitalis, 519
Pyrgomantis pallida, 979

Q

Quadraspidiotus perniciosus, 817
Quercus lobata, cynipid galls on, 571

R

Rabbits, rearing Boophilus microplus on, 598
Radiation (see Methods)
Ranatra, 1255
Rearing (see Methods)
Receptor sites for circadian activity in Periplaneta americana, 1010
Redescription of Phenacoccus dearnessi, 1342
Reflex bleeding, 1021
Release and recovery of jack pine budworm larvae, 1185
Repopulation of lake by Chaoborus, 308
Reproduction (see Methods)
Reproductive, behavior of cabbage maggot, 176
isolation in plum curculio, 665
-system development in Schizaphis graminum, 603
Response, patterns of Apis mellifera, 1472
Response of: Chaoborus to light, 461
insects to radiation, 419, 456
Ooencyrtus kuwanai to environment, 1050
Reticulitermes flavipes, 479
wood decay influence on, 59
Reticulitermes lucifugus, 479
sp., 1378
Review of Spaniomyia, 863
Rhabdoblatta abdominalis, 140
albina, 140
annandalei, 137
brunneonigra, 140
communis, 140
dilatata, 140
excelsa, 140
formosana, 140
karnyi, 140
kryzhanovskii, 140
laevicollis, 140
pluriramosa, 140
procera, 140
punctipennis, 140
sinensis, 140
sp., 138
takahashi, 140
terranea, 140
vasta, 140
Rhaconotus, 844
Rhantus calidus, 38
Rhicnoda rugosa, 137
Rhizophagus sp., 74
Rhopalicus pulchripennis, 75
Rhopalosiphum maidis, 81, 169
padi, 81
Rhoptrocentrus, 844
Rhyacionia buoliana, 521, 621
complex, spider predation on, 864
frustrana, 519
frustrana, rearing, 1159
Rhynchaenus pallicornis, 521
Rhynchites, 983
bicolor, 519
delectus, 984
velatus, 983
Rhynchitinae, 982
Rhysipolis, 845
Rhytidometopum sp., 138
Rhytidoponera aspera, 1201
chalybaea, 1201
inornata, 1201
Rice stalk borer, sex pheromone in, 1469
Rogas, 845
Ropalophorus, 846
Roptrocerus eccoptogastri, 896
xylophagorum, 75
Rufa rubedinella, 519

S

Sacium sp., 74
Saissetia oleae, 1235
Salganea conica, 140
erythronota, 140
morio, 140
papua, 140
Saltmarsh deer fly, autogeny and mating in, 1421
Sampling mosquito larvae, 537
Sarcophaga argyrostoma, autogeny in, 961
bullata, 961
polistensis, 1358
tibialis, age determination, 754
Sathrobrota rileyi, 523
Sawflies, parasitism and predation of, 1424
Scab mites, oversummering, 105
Scalida, 130
birmanica, 133
fragilis, 133
Scambus sp., 75
Scanning, electron microscopic studies of honey bee, 919
microscopy of Acari, 528
Scaphinotus elevatus, 239
Scaphytopius delongi, biology, 809
reproduction, 1180
Scaptolenus lecontei, 41
Scarites substriatus, 239
Scatella stagnalis, 272
Scatopsciara radialis, 74
Scent, apparatus of cabbage looper, 347
brush secretions of male moths, 1428
fluid analysis of Hypselonotus punctiventris, 749
Schistopeltis peculiaris, 140
Schizaphis graminum, 81, 169
development on synthetic diets, 1237, 1240, 1245
digestive system, 1031
mouth parts and feeding habits, 897
nervous systems, 1038
reproductive-system development in, 603
resistance in barley, 718
salivary gland complex, 904
Schizopilia fissicollis, 140
Scholastes sp., 1460
Scirtothrips citri, 870
Scoloposcelis mississippensis, 73
Scolytus multistriatus, attraction to pheromone, 1143
feeding stimulant penetration into, 544
Scolytus rugulosus, behavior, 751
Scymnillus aterrimus, 49
Scymnus sp., 1379
Seasonal, activity of Dermacentor

XUM

albipictus relationship to photoperiod, 1456
cycle of imported fire ant, 562
Seed-catching carabid, 1474
Seinura *sutura*, 167
Selenophorus, list of species in cropland, 239
Sensilla campaniformia on honey bee flagella, 919
Sepsis fascipes, 141
Serial Literature of Entomology, notice, 292, 535
Sex, determination in Propylea 14-punctata, 957
identification of spermatophors in southern potato wireworm, 299
Sex pheromone, gland of pink bollworm, 311
in omnivorous leaf roller, 1330
in noctuid moths, 381, 488, 1448
in rice stalk borer, 1469
Sex ratio of: Compoletis perdistinctus, 1373
horn fly, 912
Sheep, oversummering scab mites on, 105
Psoroptes ovis on, 109
Shothole borer, behavior, 751
Sialis lutaria, 1382
Sibylloblatta panesthoides, 140
Sigalphus, 847
Silvanus bidentatus, 74
Silvius (Assipala) ceras, 159
(Zeuximyia) philipi, 159
(Griseosilvius) quadrivittatus, 158
Simopelta, 1207
Simulium aureum, 1195
decorum, 1193, 1195
dixiense, 1195
jenningsi, 1195
slossonae, 1195
underhilli, bacteria from, index to water pollution, 1467
venustum, 1195
verecundum, 1195
vittatum, 745, 1194
Sipha flava, 81, 172
Sitka spruce weevil, behavior, 467
Sitophilus granarius, 789
oryzae, 522
Sitotroga cerealella, 456, 518, 826, 1381
6-methyl-5-hepten-2-one, significance, 1007
Slash-pine sawfly, biology, 241
Slender seedcorn beetle, *Ovacarus clivinae* endoparasite of, 887
Smicraulax tuberculatus, 519
Smicronyx constrictus, 519
fulvus, 522
scapalis, 519
tychoides, 519
Sod webworm, hatching, 116
Solenopsis nr. molesta, 1379
saevissima richteri, 660
saevissima richteri, inquilines and arthropods from nests, 1376
seasonal life cycle, 562
(Diplorhoptrum) sp., 76
xyloni, 1186
Solitary oak leafminer infesting white oaks, 1094
Sorghum greenbug, parasite of, 81
Southern pine beetle, associates, 72
olfaction, 266
Southern pines, Ips patterns on, 894
Southern potato wireworm, sex identification of spermatophores in, 299
Southwestern corn borer, growth on meridic diet, 483
Soybean(s), feeding and nutrition of insects associated with, 1044
wheat germ diet for tobacco budworm, 1077
Spaniomyia, review, 863
Spaniomyia obesa, 863
pulchripennis, 863
soror, 863
Sparganothis sulfureana, 523
Spathimeigenia spinigera, 75, 1425
Spathius, 844
pallidus, 75
Spermatozoon nuclei length in Callosobruchus maculatus, 952
Sphaerococcopsis, 346
Sphinx convolvuli, 438
Sphodromantis lineola, 979
Spider(s), carpace width to evaluate, 757
enzymes and proteins of, 409
in pines, 864
Spider mite, electron-microscopic studies of eggs, 1134
Spilochalcis flavopicta, 523
Spiny rat, new chiggers from, 212
mite, radiation perception by, 925
Spiracular behavior in Aedes, 97
Spodoptera exigua, 473, 493, 518
frugiperda, 473, 1358
littoralis, parasitoids attacking, 492
ornithogalli, 1428
Spruce budworm, male reproductive system, 1107
Stagetus, 187, 1301
Staining house fly gonads, 535
Stantonia, 848
Staphylinids, host records of parasitic, 1184
Stegobium, 185
paniceum, 182, 752
Stenelmis crenata, 745
Stenodontes dasytomus dasytomus, 41
Stenocorse, 844
Sterility of intestinal content of honey bee, 315
Sternal gland in Coptotermes formosanus, 478
Stethorus punctillum, 1217
punctum, morphology and biology, 1217
Stibadium spumosum, 519
Stictochironomus spp., 745
Stictolampra buqueti, 140
buqueti concinnula, 140
melancholica, 140
Stichtoptychus, 187, 1301
Stigmatomma, 1212
Stilpnoblatta opaca, 140
Storage methods for alfalfa weevil adults, 208
Stored-grain ecosystems, 789
Streblocera, 846
Striped earwig, flight habits, 746
Strongylophthalmyia, notes on, 141
Strongylophthalmyia angusticollis, 142
angusticollis humeralis, 142
angustipennis, 143
brunneipennis, 142
coarctata, 142
crinita, 144
curvinervis, 142
distoma, 144
elegantissima, 144
fasciolata, 142
fascipes, 142
immaculata, 144
luzonensis, 142
maculipennis, 142
metatarsata, 142
nigricoxa, 142
nigriventris, 144
pallipes, 144
polita, 142
punctata, 142
punctiocollis, 142
punctum, 142
spinosa, 142
trifasciata, 142
ustulata, 143
Styphon bakeri, 140
Sucking lice of northern fur seal, 280
Sucrose in pea aphid diet, 739
Sugar cane froghopper, rearing nymphs, 1471
Sunira bicolorago, 1104
Sunius sp., 1378
Supella longipalpa, 456
Swine pasture, flight of beetles on, 855
Swiss biotype of flea beetle, life history, 834
Symphya, 842
Symploce capitata, 683
fusca, 133
Symplocodes marmorata, 132
sp., 135
Synchita granulata, 74
Synchthonius elegans, 317
Synthesis of nucleic acid and protein, 822
Syntretus, 846
Synuchus impunctatous, 1474
Syrrhizus, 846
Systena, 1016

T

Tabanidae of Patuxent Wildlife Research Center, 956
oviposition preferences, 547
Tabanus lineola, 956
marginalis, 957
melanocerus, 956
nigripes, 957
nigrovittatus, 1421
petiolatus, 956
similis, 957
sulcifrons, 956
trimaculatus, 956
Tachinus fimbriatus, 1378
sp., 1378
Tachypterellus consors cerasi, 522
q. quadrigibbus, 519
Tachys anceps, 239
incurvus, 239
sp., 239
Tansy ragwort, control, 834
Tanypus grodhausi, 1166
Tanytarsus spp., 745
Taphaeus, 847
Tarachodes sausseurei, 979
Tarsalectomy and antennectomy behavior in Aedes triseriatus, 294
Tarsonemus sp., 49
Telenomus fariai, population dynamics of, 29
sp., 49, 388
utahensis, egg parasite development in, 202
utahensis, parasitization capabilities of, 452
Temnochila virescens, 73
Temperature (see Methods)
Tenebrio molitor, 1386

morphological changes in, 1116
Tenebroides collaris, 73
marginatus, 73
Tenodera angustipennis, 520
superstitiosa, 979
Tetanolia mynesalis, 1104
Tetranychus pacificus, 963
urticae, 817, 1134
urticae, eyes, 879
Tetrapolipus, 1300
Tetrasphaeropyx, 845
Tetrastichus hunteri, 520
incertus, 1362
Thamnosphecia scitula, 519
Thanasimus dubius, 73, 587
Thaumatomyrmex, 1213
Therea petiveriana, 129
Thermonectus basillaris, 38
ornaticollis, 38
Thoracic spiracles of Aedes, behavior, 93, 97
Thorax porcellana, 140
Thurberiphaga diffusa, 519
Thyridopteryx ephemeraeformis, 521, 1358
Thysanoptera, 752, 870
Tick(s), biochemistry and physiology of, 1149, 1155
hemocyte cultivation, 1249
Timulia sp., 1379
Tipula spp., 745
Tissue culture of monolayer cell lines, 722
Tobacco, Jalysus spinosus on, 779
Tobacco budworm, soybean-wheat germ diet for, 1077
zinc toxicity in, 850
Tobacco hornworm, life history, 399
morphology, 437
Tobacco warehouses, Tricorynus confusus in, 752
Tomato, population trends of greenhouse whitefly and Encarsis formosa, 1188
Tomato pinworm, primary parasite of, 996
Toxares, 848
Toxicity (see Methods)
Trace elements and greenbug growth, 1240
Trachymesopus, 1213
clarki, 1213
gilberti, 1213
gilva, 1213
stigma, 1213
wroughtoni, 1214
Transporting live black fly larvae, 1194
Trapeziopelta, 1213
Trehalose depletion in Periplaneta americana, 784
Trialeurodes vaporariorum, life cycle, 1188
Triaspis (Schizoprymnus), 846
(Triaspis), 846
kurtogaster, 518
vestiticida, 518
Tribolium castaneum, 789
confusum, 1069
destructor, 1069
Tribonium colombicum, 140
conspersum, 140
spectrum, 140
Trichobaris compacta, 520
texana, 518, 552
trinotata, 518
Trichoblatta cericea, 140
magnifica, 140
oniscina, 140
pygmaea, 140
tarsalis, 140
Trichodesma, 185
gibbosa, 188
Trichogramma pretiosum, life tables for, 824
retorridum, life tables for, 824
semifumatum, host preference, 1381
Trichohelea, parasitic midges of, 15
Trichoplusia ni, 310, 381, 473, 763, 971, 1172, 1330, 1381, 1428
circadian rhythms, 488
scent apparatus, 347
sex pheromones, 1448
Trichoptera, 890
Tricoryninae, 1301
Tricorynus, 187, 1301
abnormis, 1303
confusus in tobacco warehouses, 752
estriatus, 182
herbarius, 184
Trigonorhinus alternatus, 521
Trogoderma glabrum growth, and retrogression, 946
in larvae, 149
Trombicula *ignota*, 214
Trophobiosis of Liometopum apiculatum, 1186
Tropisternus lateralis nimbatus, 38
striolatus, 38
Trox sonorae, 41
Trypodendron lineatum, flight arrestment, 1273
Trypopitys serricornis, 183
Tumidiscapus sp., 75
Twospotted spider mite, eyes, 879
Tychius sordidus, 520
Tydeus sp., 49
Tylocerina nodosus, 74
Tyloderma foveolata, 518
Typha latifolia, 548
Typhlodromus bakeri, 816
conspicuus, 816
occidentalis, photoperiodic induction of diapause, 962
pomi, 815
pyri, 49
Typhlomyrmex, 1200
Tyroglyphus breviceps, 524

U

Uranotaenia lowii, 1122
sapphirina, 1122
Urosigalphus, 846
anthonomi, 517
robustus, 517
schwarzi, 517
Utobium, 183
elegans, 182

V

Valentinia glandulella, 233
Vanduzea segmentata, 1186
Vanessa atalanta, 1178
Viability of Empoasca fabae eggs, 32
Vicia faba, comparison with Pisum sativum on chemical diet, 499
Vipio, 842
Vitula edmandsae, 349, 518
Vrilletta, 187
decorata, 188

W

Walshia amorphella, 521
Water, mite parasite of march treader, development, 1254
pollution, bacteria from Simulium underhilli index to, 1467
Weevils, attraction of traps baited with boll weevils, 530
Wesmaelia, 846
Western corn rootworm, Maydeae resistance to, 861
Western X-disease of peach, 722
White ash, Marmara fraxinicola in stems, 770
White oaks infested by solitary oak leafminer, 1094
White pine weevil, attack in white pines, 1460
Lonchaea corticis predator of, 1221
Wild carrot, rearing Corimelaena on, 313
Winnertzia sp., 74
Winthemia manducae, life history, 399
rufopicta, 400
sinuata, 400
sp., 388
sp. ? occidentis, 388
Wood, decay and Eastern subterranean termite, 59
feeding cockroaches, metabolic rate in, 450
Worker bees exposed to radiation, 268

X

Xantholinus emmeseus, 1378
Xarifa, 183
Xenarcha, 844
Xenosternum, 844
Xenostigmus, 848
Xeranobium, 183
laticeps, 180
Xestobium, 185
marginicolle, 182
Xestoblatta buscki, 683
sp., 132
Xyletinus, 187
peltatus, 184
Xyletomerus, 187
histricus, 188
Xylocoris flavipes, developmental stages, 1131
Xylophrurus bicolor, 1420
Xylotrechus sp., 19

Y

Yelicones, 845
"Yellow eye," genetic marker for Leschenaultia adusta, 305

Z

Zabrachia polita, 75
Zatropis chalcis, 522
incertus, 522, 552
perdubius, 522
Zele, 847
Zelomorpha, 847
Zetobora ampla, 140
monastica, 140
pubescens, 140
signaticollis, 140, 684
transversa, 140
Zetoborella gemmicula, 140
Zetoborinae, 684
Zeuzera pyrina, 310
Zinc toxicity in Heliothis, 850
Zuluia abscissa, 140
lithostrata, 140
Zygobarella xanthoxyli, 518
Zygosturmia protoparcis, 399

XUM